

CITY OF DOUGLAS

**Bid Specifications and Contract Documents for
One New 2024/25 1-1/2 Ton 4x4 with Utility Box**

Douglas City Hall
101 N. 4th Street
PO Box 1030
Douglas, WY 82633

Public Works/ Shop Department

420 W Grant St.
PO Box 1030
Douglas, WY 82633

TABLE OF CONTENTS

Check if Included	Document Description
✓	1. Instructions to Bidders and Call for Bids (Legal Advertisement and Detailed Notice)
✓	2. Bid Information and Forms:
✓	a. Schedule of Prices
✓	b. Bid Bond – Vehicles and Equipment
✓	c. Signature Page
✓	3. Notice of Award – Vehicles and Equipment
✓	4. Specifications

All items checked are in this packet.

End of Section



CITY OF DOUGLAS
INSTRUCTIONS TO BIDDERS – EQUIPMENT AND VEHICLES
Date of Creation/Revisions to Document

1. DEFINED TERMS

- A. The term “OWNER” means the City of Douglas, a municipal corporation, located at 101 North 4th Street, P.O. Box 1030, Douglas, Wyoming 82633.
- B. The term “BIDDER” means the individual person or company who submits a bid directly to the Owner and is distinct and separate from a sub-bidder, who submits a bid to a Bidder.
- C. The term “SUCCESSFUL BIDDER” means the lowest, qualified, responsible, and responsive Bidder who receives the project award based on the Owner's evaluation.
- D. The term “BIDDING DOCUMENTS” includes the instructions to bidders, the bid form (including bid schedule, if applicable), drawings, specifications, and all other proposed documents (including all addenda issued prior to receipt of bids, if applicable).

2. ADVERTISEMENT FOR BIDS

- A. Sealed bids for **One New 2024/25 1-1/2 Ton 4x4 with Utility Box** will be received at Douglas City Hall, 101 N. 4th Street, until **2:45 PM MST on July 31, 2024**, and then will be publicly opened and read aloud. Any bids received after the specified date and time will not be accepted or considered. Approved bidding documents may be obtained at **Public Works Dept. 420 W. Grant Street** or on the City of Douglas website at www.cityofdouglas.org under the “Bid Postings” tab. **Bid should include the option of an allowance for trade-None** Each bid must be submitted on the bid form and accompanied by bid security payable to the City of Douglas as prescribed in the bidding documents in an amount not less than five percent (5%) of the amount bid. Bids may be subject to the Wyoming Preference Act. Mail submitted bids to the City Clerk, City of Douglas, P.O. Box 1030, Douglas, WY 82633, or deliver to the City Clerk at 101 N. 4th Street, Douglas, WY. To perform public work, the successful Bidder and subcontractors, prior to contract award, shall hold or obtain such licenses as required by State Statutes and federal and local laws and regulations. The City of Douglas reserves the right to reject any and all bids, to waive as an informality any irregularities contained in a bid, and to accept the bid that serves the best interests of the City.

/s/, City Clerk; Published: **July 11, 2024**, Douglas Budget

**CITY OF DOUGLAS
BID INFORMATION AND FORMS**

1. Sealed bids will be received until **2:45 PM, July 31, 2024** at the Office of the City Clerk and will be opened and publicly read aloud immediately thereafter in the Conference Room, City of Douglas, Wyoming, 101 North 4th Street, Douglas, Wyoming, for **2024/2025 1-1/2 Ton 4x4 with Utility Box. Non-Demonstrative** units will not be accepted or considered in the bid proposal.
2. Bid proposals delivered in person will be received **only** at the Office of the City Clerk. Bids received **after** the time fixed for bid reception **will not be considered**. All bids must be clearly marked One New **"2024/2025 1-1/2 Ton 4x4 with Utility Box"** with the bidder's name and the time and date of the opening on the outside of the envelope. The City of Douglas reserves the right to reject any and all bids, to waive as an informality any irregularities contained in a bid, and to accept the bid that serves the best interests of the City.
3. Approved Specifications and Form of Contract Documents may be obtained at the **Clint Nystul Fleet/Supervisor Public Works 420 W. Grant Street**, Douglas Wyoming 82633, or on the City of Douglas website, www.cityofdouglas.org, under "Bid Postings/Related Documents" section.
4. Delivery will be accepted 120 days after notice of award, F.O.B. (Free on Board) Douglas, Wyoming. Tax Exempt Certificate will be furnished by the City of Douglas.
5. A certified check, cashier's check, or bid bond in the amount of five percent (5%) of the total amount of the bid, including allowances, additive alternates, trade-ins, and concessions, must accompany each bid and must be payable without condition to the Owner as a guarantee that the Bidder will provide specified unit(s). The City of Douglas will allow a 5% preference to Wyoming residents. Bids may be subject to the Wyoming Preference Act. Bidders will supply a Certificate of Residency in compliance with the Wyoming Department of Labor and Statistics.
6. Complete sets of bidding documents must be used in preparing bids; the Owner does not assume any responsibility for errors or misinterpretations resulting from the use of incomplete sets of bidding documents. The Owner, in making copies of bidding documents available on the above terms, do so only for the purpose of obtaining bids on the work and do not confer a license or grant for any other use.
7. The policy of the City of Douglas is to provide and afford equal treatment and service to all citizens and assure equal employment opportunity based on ability and fitness to all persons regardless of race, creed, national origin, sex, physical or mental disabilities or age. This policy shall apply to every aspect of employment practices, employee treatment and public contact. No qualified individual with a disability shall, by reason of such disability, be excluded from participation in or be denied the benefits of the services, programs or activities of the City of Douglas, or be subjected to discrimination. Pursuant to the American's with Disabilities Act, reasonable accommodation for persons with disabilities who wish to participate in these services, programs, or activities shall be made upon request to City of Douglas, ADA Coordinator at Douglas City Hall, 101 North 4th Street, Douglas, Wyoming.

SCHEDULE OF PRICES

Company Name: _____ Brett Osborne
 _____ Fremont Motors (Ram)
Mailing Address: _____ 6101 E 2nd Street
 to furnish equipment as specified to the City _____
 dated 7-29-24 _____ Casper WY 82609

1st price ABLE installed Bed
 2nd price Atech installed Bed

BID ITEM DESCRIPTION

Year – Make – Model:	
Base Bid:	\$ 60935 / 60935
Option #1: 2024/2025 Ext Cab 1-1/2 Ton 4x4 with Utility Box	\$ 74763 / 78642
Option #2:	\$ — —
Less Trade-In N/A	-\$ — —
Less Government Concessions:	-\$ — —
Total Bid Amount:	\$ 74763 78642

In addition to this proposal, the undersigned Bidder agrees to submit complete information, including specifications and descriptive literature to fully describe and illustrate the equipment, vehicle, and/or accessories offered. Bidder proposes to deliver equipment or vehicle in accordance with the schedule included in the Bid Information. A bid bond or certified or cashier's check made payable to the City of Douglas, Wyoming, in an amount of 5% of the total amount of this bid is enclosed. The Bidder understands that the Owner allows a 5% preference to Wyoming residents and that Bids may be subject to the Wyoming Preference Act. The Bidder further attests that the specifications relating to the bid security are understood and the conditions set forth in said specifications are agreed upon.

Signature of Representative Responsible for Bid: _____

Printed Name & Title of Signer: _____ Brett Osborne

Company Name & Address of Bidder: _____ Fremont Motors (Ram)

_____ 6101 E 2nd Street
 _____ Casper WY 82609

(Proposal must be filled out, signed and submitted with the bid document)

End of Section

3rd option

Option enclosed. 2024 Ram
 4500 with Knapheide bed
 11XD24123 Cummins diesel
 \$88,109.00 IN STOCK!

Bidder Initials: BO
 Page 6 of 13

8. The City of Douglas hereby notifies all bidders that it will affirmatively insure that pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, creed, color, sex, physical or mental disabilities, or national origin in consideration of an award.
9. The bidder shall indicate his compliance with a "Yes" or non-compliance with a "No" in each line item specification. Where submitted literature does not support the meeting of these specifications, the bidder shall outline fully on company letterhead stationary the variation from specification. Any unit not conforming to the specifications will be rejected, and it will be the responsibility of the manufacturer to conform to the requirements, unless deviations have been cited by the bidder and acceptance is based upon the exceptions.

End of Section

**CITY OF DOUGLAS, WYOMING
NOTICE OF AWARD
EQUIPMENT & VEHICLES**

Name of Company	Brett Osborne
Attention To	Fremont Motors (Ram)
Mailing Address	6101 E 2nd Street
City/State/ZIP	Casper WY 82609

Project (as it appears on Bid documents)	
Contract Price	

The Owner has considered the bid submitted by you for the above described vehicle or equipment in response to its advertisement for bids dated **Publication Dates. July 17th, and the 24th 2024** You are hereby notified that your bid has been accepted for item/s in the amount of:

Year – Make – Model:	ABLE Bed	ATECH Bed
Base Bid:		\$
Option #1: 2024/2025 Ext Cab 1-1/2 Ton 4x4 with Utility Box	2025	\$ 76,763 ⁰⁰ / 80,642 ⁰⁰
Option #2:		\$ — —
Less Trade-In N/A		-\$ — —
Less Government Concessions:		-\$ — —
Total Bid Amount:		\$ 76,763 ⁰⁰ / 80,642 ⁰⁰

You are required, as set forth in the bid specifications, to execute any required documentation within ten (10) days from the date of this notice and return to the Owner. Failure to comply with these conditions within the time specified will entitle Owner to consider your bid in default, to annul this Notice of Award, and to declare your bid security forfeited.

Other conditions or precedents, if any:

opt: In stock Diesel \$ 88,109 ⁰⁰ - See enclosed In orange
--

Dated this 20 day of July, 2024.

Bidder Initials: *RO*
Page 9 of 13

CITY OF DOUGLAS, OWNER

ACCEPTANCE OF NOTICE

Receipt of the above NOTICE OF AWARD is hereby acknowledged.

By: _____
SIGNATURE

By: _____
SIGNATURE

Name/Title: J.D. Cox, City Administrator

Printed Name: _____

Title: _____

Please sign and send back to: City of Douglas, Attn: City Clerk
P.O. Box 1030, Douglas, WY 82633

End of Section



BID BOND – VEHICLES, EQUIPMENT

KNOW ALL MEN BY THESE PRESENT, that we, the undersigned, _____ as Principal, and _____ as surety, are hereby held and firmly bound unto _____ as Owner in the penal sum of _____ for payment of which, we and truly to be made, we hereby jointly and severally bind ourselves, successors and assigns.

The condition of the above obligation is such that whereas the Principal has submitted to the City of Douglas, Wyoming, a certain Bid, attached hereto and hereby made a part hereof to enter into a contract in writing for the **2024/25 1-1/2 Ton 4X4 with Utility Box**

NOW, THEREFORE,

- a. If said bid shall be rejected, or
- b. If said bid shall be accepted and the Principal shall execute and deliver a contract in the Form of Contract attached hereto (properly completed in accordance with said bid) and shall furnish a Performance/Contractor's Bond for his faithful performance of said contract, and for the payment of all persons performing labor or furnishing materials in connection therewith and shall in all respects perform the agreement created by the acceptance of said bid, then this obligation shall be void. Otherwise, the same shall remain in force and effect; it being expressly understood and agreed that the liability of the Surety for any and all claims hereunder shall, in no event, exceed the penal amount of this obligation as herein stated.

The Surety, for value received, hereby stipulates and agrees that the obligations of said Surety and its Bond shall in no way be impaired or affected by any extension of the time within which the Owner may accept such bid; and said Surety does hereby waive notice of any such extension.

IN WITNESS WHEREOF, the Principal and the Surety have hereunto set their hands and seals, and such of them as are corporations have caused their corporate seals to be hereto affixed and these presents to be signed by their proper officers, the day and year first set forth above.

PRINCIPAL:

By: _____ (seal)

SURETY:

By: _____ (seal)

***IMPORTANT:** Surety companies executing BONDS must appear in the Treasury Department's most current list (Circular 570 as amended) and be authorized to transact business in the State of Wyoming.*

End of Section



SIGNATURE PAGE

IF BIDDER IS:

AN INDIVIDUAL

By: _____ doing business as: _____
(Name)

Address: _____ Phone: _____

A PARTNERSHIP

By: _____ (seal)

(Firm Name)

(General Partner)

Business Address: _____ Phone: _____

A CORPORATION

By: Fremont Motor of _____
(Corporation Name) (State of Incorporation)

By: _____
(Signature) Fleur Manalla
(Title)

ATTEST: _____ (Corporate Seal)

Business Address: 6101 E. 2nd St
Casper WY 82409
Phone: 307-233-8654

A JOINT VENTURE

By: _____ Address: _____

By: _____ Address: _____

By: _____ Address: _____

By: _____ Address: _____

(Each member of the joint venture must sign; attach additional sheet if necessary.)

SPECIFICATIONS

Specifications are for New **2024/2025 1-1/2 Ton 4x4 with Utility Box**. These are the minimum specifications for this unit; you must meet or exceed these specifications. If indication "No" is marked to any specifications, you must provide on a separate sheet of paper an explanation of the item that you would supply in place of the specified item. Any item not marked may result in rejection of the bid.

SCOPE: The vehicle or equipment being specified will be assigned to the **Public Works Dept.** and will be used within the City of Douglas as follows:

Public Works/Utility Department Unit #176

		Meets Specifications	Yes	No
I. ENGINE				
1.	To be a minimum of 6.8-liter, 8 cylinder gasoline engine	<i>6.4L V8</i>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
2.	Heavy Duty Coolant Rated To -45 Deg.		<input checked="" type="checkbox"/>	<input type="checkbox"/>
3.	Engine block heater.		<input checked="" type="checkbox"/>	<input type="checkbox"/>
		Meets Specifications	Yes	No
II. AXLES, FRONT/ REAR:				
1.	Front axle to be a four-wheel drive type		<input checked="" type="checkbox"/>	<input type="checkbox"/>
2.	Heavy duty front and rear shock absorbers		<input checked="" type="checkbox"/>	<input type="checkbox"/>
3.	Minimum Rear axle 4.88 axle ratio dual rear wheel drive	<i>4.89</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
		Meets Specifications	Yes	No
III. SUSPENSION AND WHEELBASE				
1.	Minimum wheelbase – 168 inches	<i>173.4"</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2.	Maximum GVWR – 16,500 lbs.	<i>15,000 or 16,000</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3.	Heavy duty front and rear shock absorbers		<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.	Extra Heavy Service Suspension		<input checked="" type="checkbox"/>	<input type="checkbox"/>
5.	Stabilizer bar		<input checked="" type="checkbox"/>	<input type="checkbox"/>
		Meets Specifications	Yes	No
IV. WHEELS AND TIRES:				
1.	Minimum 19.5 -inch All-season/all-terrain tires		<input checked="" type="checkbox"/>	<input type="checkbox"/>
2.	Minimum 19.5-inch steel painted wheels		<input checked="" type="checkbox"/>	<input type="checkbox"/>
3.	Matching spare tire & wheel		<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.	Tire pressure monitoring system.	<i>N/A</i>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
		Meets Specifications	Yes	No
V. BRAKE/BRAKE RELATED EQUIPMENT				
1.	4-wheel anti-lock disc brake system		<input checked="" type="checkbox"/>	<input type="checkbox"/>
		Meets Specifications	Yes	No
VI. BUMPERS				
1.	Front: Manufacturer's standard.		<input checked="" type="checkbox"/>	<input type="checkbox"/>
2.	Rear: Manufacturer's standard.	<i>Utility Bed Bumper</i>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

		Meets Specifications	Yes	No
VII.	STEERING			
	1. Power steering.		✓	
	2. Tilt steering wheel.		✓	

		Meets Specifications	Yes	No
VIII.	ELECTRICAL SYSTEM			
	1. High-capacity alternator.			
	2. 900 Amp battery. <i>STAGIP 730 AMP</i>		✓	✓
	3. Easy access fuse & relay boxes.		✓	
	4. Minimum 110 400-watt converter			

		Meets Specifications	Yes	No
IX.	TRANSMISSION & EQUIPMENT			
	1. Automatic Transmission. with over drive.		✓	
	2. Column shift		✓	
	3. 4X4 transfer case		✓	

		Meets Specifications	Yes	No
X	CAB & CAB-RELATED EQUIPMENT			
	1. Manual Integral air conditioning & heating.		✓	
	2. Sound system: Manufacturer's standard. Optional Bluetooth		✓	
	3. Interior mirror, wide-angle, day-night type.		✓	
	4. Remote start			
	5. Tow haul power exterior mirrors		✓	
	6. Front seat to be 40/20/40 cloth type seats		✓	
	7. Super Cab/ Extended Cab <i>CREW CAB (RAM EXT N/A)</i>			✓
	8. Cruise control.		✓	
	9. Cargo area lamp.		✓	
	10. Flooring black vinyl with manufacturer's floor mats.			
	11. Gauges and meters – fuel, oil pressure, transmission temperature, engine coolant temperature; speedometer, odometer and tachometer.		✓	
	12. Three (3) programed keys/fobs. <i>(FACTORY 4 TOTAL)</i>		✓	
	13. Power windows and door locks.		✓	
	14. Intermittent windshield wipers.		✓	
	15. Rear back-up camera with prep kit		✓	
	16. Outside temperature display.		✓	

		Meets Specifications	Yes	No
XII	MISCELLANEOUS ITEMS:			
	1. Front tow hooks		✓	
	2. Steps full length of Cab		✓	
	3. Steel Utility Box with spray in bed liner		✓	
	4. Stainless Steel T type Handles		✓	x
	5. Stainless Steel bolt on Hinges and removable Tailgate		✓	x
	6. Modern rectangular LED Tail lights and marker lights		✓	

*4th 5th
ATED
NO*

Attach w/ Bid

7. Trailer tow package to include in dash electric brake control	<input checked="" type="checkbox"/>	
8. Class one Led Mini light bar (City of Douglas will mount)	<input checked="" type="checkbox"/>	
9. Minimum Fuel Capacity – 44 Gal. <i>(52 gallons)</i>	<input checked="" type="checkbox"/>	
10. Motorola CM200 two way radio programed to P.W. 155.085 Frequency	<input checked="" type="checkbox"/>	

Meets Specifications

XII PAINT & TRIM	Yes	No
1. Exterior paint is white	<input checked="" type="checkbox"/>	
2. Interior colors medium dark	<input checked="" type="checkbox"/>	

XIII MANUALS	Yes	No
1. Complete manuals for vehicle operation, maintenance shall be with the truck at the time of delivery.	<input checked="" type="checkbox"/>	

Meets Specifications

XIV WARRANTY	Yes	No
1. Bumper To Bumper warranty shall be a minimum of 3 years/36,000 miles	<input checked="" type="checkbox"/>	
2. Warranty on powertrain shall be for 5 years/60,000 miles, whichever comes first, and cover all parts and labor, a copy of the warranty shall be with the vehicle at the time of delivery.	<input checked="" type="checkbox"/>	
3. Warranty on rust-through shall be 5 years / unlimited miles	<input checked="" type="checkbox"/>	

End of Section

FREMONT MOTOR CASPER, INC
 6101 E 2ND ST
 CASPER, WY 826094262

Configuration Preview

Date Printed: 2024-07-29 7:50 PM
 Estimated Ship Date:

VIN:
 VON:

Quantity: 1
 Status: BA - Pending order
 FAN 1: 002Q0 City of Douglas WY
 FAN 2:
 Client Code:
 Bid Number: TB4099
 PO Number:

Sold to:
 FREMONT MOTOR CASPER, INC (45518)
 6101 E 2ND ST
 CASPER, WY 826094262

Ship to:
 FREMONT MOTOR CASPER, INC (45518)
 6101 E 2ND ST
 CASPER, WY 826094262

Vehicle: 2024 4500 CREW CAB CHASSIS 4X4 (173.4 in WB - CA of 60 in) (DP9L93)

	Sales Code	Description	MSRP(USD)
Model:	DP9L93	4500 CREW CAB CHASSIS 4X4 (173.4 in WB - CA of 60 in)	59,075
Package:	27A	Customer Preferred Package 27A	0
	ESB	6.4L V8 Heavy Duty HEMI Engine	0
	DF3	6-Spd Auto Aisin AS66RC HD Trans	0
Paint/Seat/Trim:	PW7	Bright White Clear Coat	0
	APA	Monotone Paint	0
	*V9	Cloth 40/20/40 Bench Seat	295
Options:	-X8	Black/Diesel Gray	0
	4DH	Prepaid Holdback	0
	4ES	Delivery Allowance Credit	0
	MAF	Fleet Purchase Incentive	0
	MDA	Front License Plate Bracket	0
	JKV	115V Auxiliary Power Outlet	195
	CLF	Mopar Front & Rear Rubber Floor Mats	150
	TSJ	225/70R19.5G Off Road Tires	995
	XCH	2 Additional Key Fobs	270
	CBE	40/20/40 Split Bench Seat	0
	GXM	Remote Keyless Entry	495
	LPE	Cargo and CHMSL Lamp	95
	MRU	Mopar Black Tubular Side Steps	495
	NHK	Engine Block Heater	95
	TBB	Full Size Spare Tire	395
	XAC	ParkView Rear Back-up Camera	495
	XHC	Trailer Brake Control	465
	DPL	4.89 Rear Axle Ratio	195
	Z9C	GVW Rating - 16000#	0
	AZB	Heavy Duty Front Suspension Group	260
5N7	Saved Favorites	0	
4FM	Fleet Option Editor	0	
4FT	Fleet Sales Order	0	
174	Zone 74-Denver	0	
4EA	Sold Vehicle	0	
Non Equipment:	4FA	Special Bid-Ineligible For Incentive	0
Bid Number:	TB4099	Government Incentives	0
Destination Fees:			1,995

Note: This is not an invoice. The prices and equipment shown on this priced order confirmation are tentative and subject to change or correction without prior notice. No claims against the content listed or prices quoted will be accepted. Refer to the vehicle invoice for final vehicle content and pricing. Orders are accepted only when the vehicle is shipped by the factory.

Total Price: 65,965 .

Order Type: Fleet
Scheduling Priority: 1-Sold Order
Salesperson:
Customer Name:
Customer Address:

PSP Month/Week:
Build Priority: 99

USA

Instructions:

Note: This is not an invoice. The prices and equipment shown on this priced order confirmation are tentative and subject to change or correction without prior notice. No claims against the content listed or prices quoted will be accepted. Refer to the vehicle invoice for final vehicle content and pricing. Orders are accepted only when the vehicle is shipped by the factory.



Fremont Brett <bosborne@fremontmotors.com>

Exceptions/Suggestions to RAM 4500

Fremont Brett <bosborne@fremontmotors.com>
Draft

Mon, Jul 29, 2024 at 6:12 PM

Exceptions to Spec:

I. 1 Engine is 6.4L V8

IV. 4 N/A

VIII. 2 Battery 730 Amp single factory

X. 7 Super/Extended cab N/A Ram. Crew cab quoted

Recommended options to add NOT in spec:

Code XEF Skid plates add \$145.00

Code DK3 Shift on the fly 4x4 button add \$295.00

Brett Osborne

Fleet/Commercial Sales New-Preowned

307.233.8654

Fremont Motor-6101 E 2nd Street Casper WY 82609

RAM DODGE JEEP CHRYSLER

Fremont Motor-1658 Coffeen Avenue Sheridan WY 82801

FORD

Fremont Motor-1401 N Federal Blvd Riverton WY 82501

CHEVROLET GMC

FremontMotors.com





999 Poison Spider Rd Casper WY 82604
307.266.2253
darren@able-equipment.com
able-equipment.com

July 19, 2024

Fremont Motors-Casper
Attn: Brett
RE: City Of Douglas Bid

We are pleased to bid the following:

Reading Truck Body steel Service Body SL Series model SL ST 108ADW-40 to include:

- A door configuration (3 doors per side-2 vertical 1 horizontal)
- External stainless rod & block door hinge system
- Double panel doors w/ stainless steel T latches keyed alike
- Spring style door hold opens
- Solid top body-40" H
- Standard shelving package (adjustable divider shelving) 6 total
- Slam style 2 panel heavy duty tailgate w/ stainless steel knee braces
- Pooched traction style rear step bumper powder coated-recessed
- Complete FMVSS-108 compliant LED lighting package w/ OE harness
- Mount kit
- Complete bed immersed in primer and fused to the metal (E coat process)
- Reading white powder coat on complete interior/exterior of bed (Limited 3 year / 36K mile factory warranty)
- Integrated tie down holes in load area (cutouts in floor in ea corner)
- Receiver hitch and 7 blade trailer receptacle
- Limited 6 year manufacturer's warranty
- Install factory (chassis) supplied rear camera kit
- Complete load area sprayed with Rhino lining

Certified installation @ our Casper facility \$12,471.00

Note:

For a LED mini light bar shipped loose add \$400.00

The Motorola must be obtained through Com Tech Communications-Casper

Price is in
Total bid price


Service Bodies ♦ Flatbeds ♦ Cranes ♦ Truck Accessories ♦ Custom Fabrication ♦ Municipal Equip

Mining ♦ Wind Power ♦ Municipalities ♦ Contractors ♦ Oil Field ♦ Construction





**SERVICE
BODIES**



SL SERVICE BODY

CLASSIC II™ SERVICE BODY

STEEL | ALUMINUM

**CLASSIC II™ STEEL HEAVY-DUTY
SERVICE BODY**

MECHANIC SERVICE BODY

MADE IN THE USA



Service bodies you can count on to work at your best.

We know exactly what you need from a service body to be successful whether you need one truck or have a fleet of them.

That's why our bodies are made with time-tested, field-proven durability to tackle harsh environments and tough jobsites. They're equipped with features for working safely in all conditions. They're built with pride and craftsmanship to keep you going for the long haul.

It makes us the service body of choice for hundreds of thousands of people across the country and why companies of all sizes in so many industries turn to us to help them work better than ever. It's why our service bodies are synonymous with the highest quality materials and buying one tells the world you're a true professional.

It's why we're the only service body you'll ever need.

SL STEEL

Our SL service body offers an economical alternative that features a premium A60 galvanized steel construction with E-coat primer and powder coat finish as standard equipment. If you demand a steel service body built for the long haul, the SL delivers with heavy-duty compartment doors, stainless steel bolt-on hinges and our Dual-Pro® seal system. This is what toughness really looks like.



CLASSIC II™ STEEL

The Classic II™ steel service body is built with premium A60 coating-weight steel construction. Our exclusive E-coat primer and powder coat finish offer superior corrosion resistance and long life. Our signature pressed tread plate surface on the load floor and inner tailgate surface provide all the strength and durability you need. Our hidden hinge system is fully adjustable and theft-resistant while our premium Dual-Pro seal system offers expanded door clearances and superior weather protection.



CLASSIC II™ ALUMINUM

Our Aluminum Classic II™ service body offers weather-tight storage and customizable options with the lightweight advantages of all-aluminum construction. Aluminum resists corrosion, lets you increase available payload and much more. These bodies feature fully adjustable hidden hinges to deter break-ins. A Dual Pro seal system has unmatched weather protection with expanded door clearances. You get long-lasting toughness that saves fuel and money year after year.



CLASSIC II™ STEEL HEAVY-DUTY

When you work in contracting, utilities, HVAC or any other service industry, the trucks you use to store and transport your equipment need to be as efficient and custom upfitted as they are powerful. For upfits on a class 6/7 chassis, you'll need a heavy-duty body. So if you're searching for a service body built to withstand the most challenging tasks and perform in extreme weather conditions, you're covered. We make a full line of service bodies for customers who demand more than the typical utility body.



MECHANIC

Vocations like mobile service, oil and gas industries and heavy construction sometimes need all the toughness of a crane body, without the crane. To serve these industries, Reading offers our traditional Mechanic Service Body. With features like workbench bumpers, 60" tall compartments with drawer units, work lights, and air compressor and welders setup, the Reading Mechanic Service Body is the trusted way to build the ultimate mobile workshop.





WE'RE HERE TO HELP.

readingtruck.com

IS STEEL RIGHT FOR YOU? OR ALUMINUM? IT DEPENDS.

Choose our award-winning, lightweight aluminum body to help save fuel, save money and increase your payloads all while carrying the industry's best warranties. Or choose our A60 coating-weight galvanized steel bodies with acrylic E-coat primer and powder coat finish.

Which one works best depends on your job, industry, geography, weather conditions and your specific needs.

STEEL

Sometimes you just need the strength of steel when you are hauling heavy material or equipment in harsh environments.

The strength and resistant properties of steel make it one of the most durable industrial materials. Our premium A60 coating-weight steel and our exclusive triple protection E-coat primer and powder coat finish help to resist corrosion. A steel service body is built for a more demanding environment, like mining, oil and gas, maintenance and rail industries.

ALUMINUM

Over 40 years ago, we were the first manufacturer to produce an aluminum service body. Today, we're a premier manufacturer of aluminum truck bodies in North America.

Aluminum's lightweight properties make it easier on your truck's drive train, which could help lead to a longer life for your truck. While a service body that's lighter on the road can lead to reduced fuel costs, it also allows you to increase your payload, both of which can save you money. And, with aluminum being naturally corrosion-resistant, our E-coat primer and durable powder coat finish makes it capable of withstanding years of heavy use — all around better for the environment.

STANDARD FEATURES STEEL BODY

FEATURES APPLY TO SL, CLASSIC II AND HEAVY-DUTY STEEL SERVICE BODIES UNLESS OTHERWISE NOTED.



- 1 GAS STRUT DOOR HOLDERS**
Nitrogen gas door struts control opening and closing of all vertical compartment doors. (Standard on Classic II only)
- 2 HIDDEN HINGES**
Hidden hinges deter forced entry and protect against corrosion without needing frequent lubrication or maintenance. The hinges are fully adjustable and can be replaced without damaging the body or door.
- 3 BUMPERS**
Bumpers provide improved traction and give you sure-footed access to the cargo area. Bumpers are galvanized steel for exceptional corrosion resistance and come straight or with a center recess for easy access to the trailer hitch.
- 4 LED LIGHTS**
LED combination lights last longer, stay cooler and glow brighter. They're water-resistant with automotive-grade sealed connectors.
- 5 DUAL-PRO® SEAL SYSTEM**
Get twice the defense against weather. Our premium Dual-Pro® door seal system combines automotive quality weatherstripping with mechanical seals. Our design increases clear door openings in every compartment.
- 6 E-COAT PRIMER AND POWDER COAT FINISH**
Our E-coat primer and powder coat finish protect the body from corrosion, chemicals, humidity, scratches, chips and impact for longer life.
- 7 SLAM-ACTION TAILGATE**
The pickup style slam-action tailgate features stainless steel knee braces, locking rods, hinge rods and striker channels. The knee braces are removable and protect against rust and corrosion while allowing the tailgate to swing down completely. Our 14" tailgate, equipped with treadplate, provides a larger surface area for better stability and traction.

- 8 HEAVY-DUTY DOORS**
Heavy-duty compartment doors feature double-paneled construction with internal reinforcement and heavy gauge steel panels to handle the roughest jobsites.
- 9 ROTARY LOCKS AND PADDLE HANDLES**
Our stainless steel rotary locks and paddle handles have a clean, smooth look that's both professional and functional. They feature a double-bitted, locking cylinder, adjustable striker pins and an O-ring seal to stop water intrusion.
- 10 SEAMLESS WHEELHOUSE PANELS**
Seamless wheelhouse panels keep dirt, grime and moisture from collecting to minimize corrosion and extend the life of your truck.
- 11 GALVANIZED SHELVES**
Galvanized shelves feature 2" dividers for custom and convenient small-item storage.

ALUMA-FILL® FUEL RECEPTACLE
Our Aluma-Fill® fuel receptacle protects the body and finish from accidental nicks and scratches from fuel nozzles. It is more durable than plastic brackets.

INCLUDED ONLY ON SL:
BOLT-ON HINGES
Stainless steel bolt-on hinges are protected from the elements with a fully concealed pin and marine-grade stainless steel bearings to ensure smooth, reliable operation.

SPRING-LOADED DOOR HOLDER
The spring-loaded door holder is on all vertical doors. It gives you easy access to your tools and gear by holding the door open in a 90-degree position. The hasp is removable when you need to have an extra-wide opening.



STANDARD FEATURES ALUMINUM BODY

FEATURES APPLY TO ONLY CLASSIC II ALUMINUM SERVICE BODIES.

1 HIDDEN HINGES

Hidden hinges deter forced entry and protect against corrosion without needing frequent lubrication or maintenance. The hinges are fully adjustable and can be replaced without damaging the body or door.

2 LED LIGHTS


LED combination lights last longer, stay cooler and glow brighter. They're water-resistant with automotive-grade sealed connectors.

3 DUAL-PRO SEAL SYSTEM

Get twice the defense against weather. Our premium Dual-Pro door seal system combines automotive quality weatherstripping with mechanical seals. Our design increases clear door openings in every compartment.

4 E-COAT PRIMER AND POWDER COAT FINISH

Our E-coat primer and powder coat finish protect the body from corrosion, chemicals, humidity, scratches, chips and impact for long life.



5 SLAM-ACTION TAILGATE

The pickup style slam-action tailgate features stainless steel knee braces, locking rods, hinge rods and striker channels. The knee braces are removable and protect against rust and corrosion while allowing the tailgate to swing down completely. Our 14" tailgate, equipped with treadplate, provides a larger surface area for better stability and traction.

STANDARD FEATURES ALUMINUM BODY

6 GAS STRUT DOOR HOLDERS

Nitrogen gas door struts control opening and closing of all vertical compartment doors.

7 HEAVY-DUTY DOORS

Heavy-duty compartment doors feature double-paneled construction with internal reinforcement and heavy gauge aluminum panels.

8 ROTARY LOCKS

Rust-resistant stainless steel rotary locks boast an attractive appearance with no exposed fasteners. They feature a double-bitted, high-quality locking cylinder, adjustable striker pins and an O-ring seal to prevent water intrusion.

9 SEAMLESS WHEELHOUSE PANELS


Seamless wheelhouse panels keep dirt, grime and moisture from collecting to minimize corrosion and extend the life of your truck.

10 ALUMA-FILL FUEL RECEPTACLE

Our Aluma-Fill fuel receptacle protects the body and finish from accidental nicks and scratches from fuel nozzles. It is more durable than plastic brackets.

GALVANIZED SHELVES

Galvanized shelves are designed with 2" dividers for custom and convenient small item storage. Full access between the horizontal and rear vertical makes it easy to store longer tools.



POPULAR OPTIONS

SPACEMAKER® BODY

Spacemaker® bodies offer top-opening compartments with fifteen percent more storage space. Lids are reinforced and equipped with two nitrogen gas props for easy opening and closing. Rotary catches with a push-button release allow easy one-handed closure from either end. Available in powder coated or bright aluminum treadplate.



LED COMPARTMENT LIGHTING

Strip lighting and dome lights work together with the Latch-Matic system, activating lights when compartment doors are locked and unlocked so you and your crew can work safely and productively when daylight disappears. Programmed to shut off after ten minutes. (Classic II only)

LATCH-MATIC® SECURITY SYSTEM


Our Latch-Matic® system can be controlled with your existing OEM key fob remote and chassis power-door locks. When the Latch-Matic system is integrated into the chassis, the driver's

key fob and door lock switches will lock and unlock the service body and the chassis doors. The system has proven, automotive-quality components and key fob transmitters designed for convenience that keep your tools safe and secure. Available on most Ford, RAM and GM chassis.



MASTER-LOCKING STEEL SLIDE BAR

Protect your valuables with the snap of a single handle and padlock. Our master-locking steel slide bar simultaneously locks an entire compartment side to keep your tools and gear secure.



OVERHEAD LADDER RACK

Lets you store ladders securely and out of the way on the top of your service body.

SPRAY-ON BEDLINER

Get watertight and airtight bed protection. Our factory-installed bedliner resists rust, corrosion and surface abrasion while giving you a safer, slip-resistant surface.

STAINLESS STEEL T-HANDLE LOCKS

If you need a higher level of security, compartment doors can be upgraded to three-point locking with T-handles that provide extra resistance to prying and tampering.

RETRACTABLE UTILITY BED COVER (RUBC)

Our RUBC protects the cargo area from weather and keeps valuables secure. It's available as a manual spring action cover or with an electric motor operated by a manual switch or an optional hands-free remote. (Sold separately)

STEEL SLIDING TOP

Our steel sliding top is another smart way to secure items placed in the truck body center deck. It slides on full-length galvanized steel tracks for easy opening and closing while a two-point positive action stainless steel T-handle lock secures your tools and gear.



Popular options are available on all models unless otherwise noted.


82" SERVICE BODY



- The 82" service body is designed to fit on short bed pickups (40-42" CA) with Aftermarket Box Removal (AMBR) by your Reading upfitter.
- The 82" body is limited to Ford and GM chassis only.
- Available for single-wheel (SW) chassis only.
- Available in: **CLASSIC II STEEL** **CLASSIC II ALUMINUM**

FOR 40-42" CA SHORT BED PICKUP

STANDARD 40" BODY




CURBSIDE VIEW

COMPARTMENT SIZES

V1	17" W x 40" H	13" D
H	42" W x 18.50" H	13" D
VR	23" W x 40" H	13" D

LENGTH **82** HEIGHT **40** WIDTH **77.5**
TYP. WEIGHT STEEL **919** ALUMINUM **472**

LOW PROFILE BODY




CURBSIDE VIEW

COMPARTMENT SIZES

V1	17" W x 35" H	13" D
H	42" W x 13.50" H	13" D
VR	23" W x 35" H	13" D

LENGTH **82** HEIGHT **35** WIDTH **77.5**
TYP. WEIGHT STEEL **919** ALUMINUM **472**

40" BODY WITH SPACEMAKER TOP




CURBSIDE VIEW

COMPARTMENT SIZES

V1	17" W x 37" H	13" D
H	42" W x 13.50" H	13" D
VR	23" W x 37" H	13" D
SP	72" W x 4.5" H	9.6" D

TYP. WEIGHT STEEL **1,084** ALUMINUM **574**
Spacemaker top-opening compartment provides 15% more storage space. Lid is offered in your choice of steel (powder coated) or bright aluminum finish.

B-COMPARTMENT LAYOUT



CURBSIDE VIEW

COMPARTMENT SIZES

V1	17" W x 40" H	13" D
H	65" W x 18.50" H	13" D
VR	23" W x 21.50" H	13" D

LENGTH **82** HEIGHT **40** WIDTH **77.5**
TYP. WEIGHT STEEL **969** ALUMINUM **522**
Reading Truck offers B-compartment layout with an extended horizontal compartment for storing longer items.

All measurements are the internal compartment sizes to the nearest 0.5", and do not account for obstructions from hinges, latches and more. For detailed measurements, please request a specification sheet.


98" SERVICE BODY



- The 98" service body is designed to fit on long bed pickups (56" CA) with single rear wheels.
- This body is compatible with Factory Box Delete chassis and Aftermarket Box Removal (AMBR).
- Available for single-wheel (SW) and dual-wheel (DW) chassis.
- Available in: **SL SERIES** **CLASSIC II STEEL** **CLASSIC II ALUMINUM**

FOR 56" CA SRW LONG BED PICKUP

STANDARD 40" BODY




CURBSIDE VIEW

COMPARTMENT SIZES (SW/DW)

V1	28" W x 40" H	13" / 20" D
H	47" W x 18.50" H	13" / 20" D
VR	23" W x 40" H	13" / 20" D

LENGTH **98** HEIGHT **40** WIDTH **77.5 / 91.5**
TYP. WEIGHT STEEL **999/1,114** ALUMINUM **607/691**

LOW PROFILE BODY




CURBSIDE VIEW

COMPARTMENT SIZES (SW/DW)

V1	28" W x 35" H	13" / 20" D
H	47" W x 13.50" H	13" / 20" D
VR	23" W x 35" H	13" / 20" D

LENGTH **98** HEIGHT **35** WIDTH **77.5 / 91.5**
TYP. WEIGHT STEEL **996/1,114** ALUMINUM **607/691**

40" BODY WITH SPACEMAKER TOP




CURBSIDE VIEW

COMPARTMENT SIZES (SW/DW)

V1	28" W x 37" H	13" / 20" D
H	47" W x 13.50" H	13" / 20" D
VR	23" W x 37" H	13" / 20" D
SP	88" W x 4.5" H	9.6" / 14.5" D

LENGTH **98** HEIGHT **40** WIDTH **77.5 / 91.5**
TYP. WEIGHT STEEL **1,182/1,336** ALUMINUM **657/741**
Spacemaker top-opening compartment provides 15% more storage space. Lid is offered in your choice of steel (powder coated) or bright aluminum finish.

B-COMPARTMENT LAYOUT




CURBSIDE VIEW

COMPARTMENT SIZES (SW/DW)

V1	28" W x 40" H	13" / 20" D
H	70" W x 18.50" H	13" / 20" D
VR	23" W x 21.50" H	13" / 20" D

LENGTH **98** HEIGHT **40** WIDTH **77.5 / 91.5**
TYP. WEIGHT STEEL **1,046/1,164** ALUMINUM **600/672**
Reading Truck offers B-compartment layout with an extended horizontal compartment for storing longer items.


108" SERVICE BODY



- The 108" service body is designed for 60" CA chassis. Class 3-5.
- Available for single-wheel (SW) and dual-wheel (DW) chassis.
- Available in: **S1 SERIES CLASSIC II STEEL CLASSIC II ALUMINUM**

FOR 60" CA CHASSIS CABS, SW OR DW CLASS 3-5

STANDARD 40" BODY




CURBSIDE VIEW

COMPARTMENT SIZES (SW/DW)

V1	33" W x 40" H	13'20" D
H	47" W x 18.50" H	13'20" D
VR	28" W x 40" H	13'20" D

LENGTH 108 HEIGHT 40 WIDTH 77.5/91.5
TYP. WEIGHT STEEL 1,108/1,200 ALUMINUM 608/680

LOW PROFILE BODY




CURBSIDE VIEW

COMPARTMENT SIZES (SW/DW)

V1	33" W x 35" H	13'20" D
H	47" W x 13.50" H	13'20" D
VR	28" W x 35" H	13'20" D

LENGTH 108 HEIGHT 35 WIDTH 77.5/91.5
TYP. WEIGHT STEEL 1,108/1,200 ALUMINUM 608/680

40" BODY WITH SPACEMAKER TOP




CURBSIDE VIEW

COMPARTMENT SIZES (SW/DW)

V1	33" W x 38.5" H	13'20" D
H	47" W x 14.75" H	13'20" D
VR	28" W x 38.5" H	13'20" D
SP	9.6" W x 4.5" H	9.6"/14.5" D

LENGTH 108 HEIGHT 41 WIDTH 77.5/91.5
TYP. WEIGHT STEEL 1,308/1,437 ALUMINUM 721/831
Spacemaker top-opening compartment provides 15% more storage space. Lid is offered in your choice of steel (powder coated) or bright aluminum finish.

B-COMPARTMENT LAYOUT




CURBSIDE VIEW

COMPARTMENT SIZES (SW/DW)

V1	33" W x 40" H	13'20" D
H	75" W x 18.50" H	13'20" D
VR	28" W x 21.50" H	13'20" D

LENGTH 108 HEIGHT 40 WIDTH 77.5/91.5
TYP. WEIGHT STEEL 1,158/1,251 ALUMINUM 658/730
Reading Truck offers B-compartment layout with an extended horizontal compartment for storing longer items.


132" SERVICE BODY



- The 132" service body is designed for 84" CA chassis. Class 3-5.
- An additional front vertical compartment for extra storage space.
- Available for dual-wheel (DW) chassis only.
- Available in: **S1 SERIES CLASSIC II STEEL CLASSIC II ALUMINUM**

FOR 84" CA CHASSIS CABS, CLASS 3-5

STANDARD 40" BODY




CURBSIDE VIEW

COMPARTMENT SIZES

V1	36" W x 40" H	20" D
V2	21" W x 40" H	20" D
H	47" W x 18.50" H	20" D
VR	28" W x 40" H	20" D

LENGTH 132 HEIGHT 40 WIDTH 91.5
TYP. WEIGHT STEEL 1,502 ALUMINUM 893

LOW PROFILE BODY




CURBSIDE VIEW

COMPARTMENT SIZES

V1	36" W x 35" H	20" D
V2	21" W x 35" H	20" D
H	47" W x 13.50" H	20" D
VR	28" W x 35" H	20" D

LENGTH 132 HEIGHT 35 WIDTH 91.5
TYP. WEIGHT STEEL 1,450 ALUMINUM 853

40" BODY WITH SPACEMAKER TOP




CURBSIDE VIEW

COMPARTMENT SIZES

V1	36" W x 38.5" H	20" D
V2	21" W x 38.5" H	20" D
H	47" W x 14.75" H	20" D
VR	28" W x 38.5" H	20" D
SP	52" W x 4.5" H (2)	14.5" D

LENGTH 132 HEIGHT 41 WIDTH 91.5
TYP. WEIGHT STEEL 1,736 ALUMINUM 997
Spacemaker top-opening compartment provides 15% more storage space. Lid is offered in your choice of steel (powder coated) or bright aluminum finish.

B-COMPARTMENT LAYOUT



CURBSIDE VIEW


COMPARTMENT SIZES

V1	36" W x 40" H	20" D
V1	21" W x 40" H	20" D
H	75" W x 18.50" H	20" D
VR	28" W x 21.50" H	20" D

LENGTH 132 HEIGHT 40 WIDTH 91.5
TYP. WEIGHT STEEL 1,502 ALUMINUM 893
Reading Truck offers B-compartment layout with an extended horizontal compartment for storing longer items.

HEAVY-DUTY BODY


MECHANIC SERVICE BODY



- Lengths of 108" to 150", designed for heavy-duty use on Class 6-7 chassis.
- Available for dual-wheel (DW) chassis only.

FOR CLASS 6-7 CHASSIS


HD 108" BODY FOR 84" CA CHASSIS



A-LAYOUT		B-LAYOUT		
V1	34" W x 43.75" H	34" W x 43.75" H	34" W x 43.75" H	21" D
H	47" W x 19.25" H	73.25" W x 19.25" H	73.25" W x 19.25" H	21" D
VR	26" W x 43.75" H	26.25" W x 24.5" H	26.25" W x 24.5" H	21" D

LENGTH 108" HEIGHT 43.75" WIDTH 93"
TYP. WEIGHT STEEL 1,414


HD 120" BODY FOR 72" CA CHASSIS



A-LAYOUT		B-LAYOUT		
V1	34" W x 43.75" H	44" W x 43.75" H	44" W x 43.75" H	21" D
H	49.25" W x 19.25" H	76" W x 19.25" H	76" W x 19.25" H	21" D
VR	26.25" W x 43.75" H	26.25" W x 24.5" H	26.25" W x 24.5" H	21" D

LENGTH 120" HEIGHT 43.75" WIDTH 93"
TYP. WEIGHT STEEL 1,761


HD 132" BODY FOR 84" CA CHASSIS



A-LAYOUT		B-LAYOUT		
V1	38.5" W x 43.75" H	30" W x 43.75" H	30" W x 43.75" H	21" D
V2	17.5" W x 43.75" H	26" W x 43.75" H	26" W x 43.75" H	21" D
H	49.75" W x 19.25" H	73.25" W x 19.25" H	73.25" W x 19.25" H	21" D
VR	26.25" W x 43.75" H	26.75" W x 24.5" H	26.75" W x 24.5" H	21" D

LENGTH 132" HEIGHT 43.75" WIDTH 93"
TYP. WEIGHT STEEL 2,182

HD 150" BODY FOR 102" CA CHASSIS




A-LAYOUT		B-LAYOUT		
V1	26" W x 43.75" H	34" W x 43.75" H	34" W x 43.75" H	21" D
V2	24" W x 43.75" H	24" W x 43.75" H	24" W x 43.75" H	21" D
V3	24" W x 43.75" H	24" W x 43.75" H	24" W x 43.75" H	21" D
H	49.75" W x 19.25" H	73.25" W x 19.25" H	73.25" W x 19.25" H	21" D
VR	26.25" W x 43.75" H	26.25" W x 24.5" H	26.25" W x 24.5" H	21" D

LENGTH 150" HEIGHT 43.75" WIDTH 93"
TYP. WEIGHT STEEL 2,536

FOR CLASS 3-7 CHASSIS


MM100 BODY 9' BODY FOR 80" CA CLASS 3-5 CHASSIS CAB



COMPARTMENT SIZES		
V1	34" W x 42" H	22" D
H	48" W x 22" H	22" D
VR	26" W x 42" H	22" D

LENGTH 108" HEIGHT 42" WIDTH 96"
TYP. WEIGHT 1,752 lb


MM200 BODY 11' BODY FOR 84" CA CLASS 4-5 CHASSIS CAB



COMPARTMENT SIZES		
V1	32.5" W x 46" H	27" W x 46" H
V2	25" W x 46" H	30" W x 46" H
H	48" W x 22" H	48" W x 22" H
VR	26.5" W x 46" H	26" W x 46" H

LENGTH 131" HEIGHT 46" WIDTH 96"
TYP. WEIGHT 2,987 lb


MM200HD BODY 11' BODY FOR 84" CA CLASS 6-7 CHASSIS CAB



COMPARTMENT SIZES		
V1	32" W x 50" H	28.5" W x 50" H
V2	25" W x 50" H	28.5" W x 50" H
H	50" W x 25" H	50" W x 25" H
VR	26" W x 50" H	26" W x 50" H

LENGTH 133" HEIGHT 50" WIDTH 96"
TYP. WEIGHT 3,138 lb

MM300HD BODY 14' BODY FOR 120" CA CLASS 6-7 CHASSIS CAB



COMPARTMENT SIZES		
V1	32" W x 60" H	26" D
V2	32" W x 60" H	26" D
V3	29" W x 60" H	22" D
H	50" W x 35" H	22" D
VR	26" W x 60" H	22" D

LENGTH 169" HEIGHT 60" WIDTH 96"
TYP. WEIGHT 3,927 lb

READING TRUCK WARRANTY

WARRANTIES AS STRONG AS OUR BODIES.

Your truck is the heart of your business. When it doesn't perform, you can't perform. We back our work truck bodies and installations with some of the strongest, longest warranties in the business. Product registration is fast and easy on our website, readingtruck.com.


MECHANIC SERVICE BODY



SL STEEL SERVICE BODY CLASSIC II STEEL SERVICE BODY CLASSIC II STEEL HEAVY-DUTY SERVICE BODY



CLASSIC II ALUMINUM SERVICE BODY



INSTALLATION



NO ONE KNOWS WORK TRUCKS BETTER THAN US.

We are a leading manufacturer and distributor who has been designing and building work truck bodies with outstanding craftsmanship for more than 65 years. You can depend on us for safe, durable truck bodies; expert installation; and all the parts, equipment, accessories and services you need to get the job done.

Our products are available through our extensive national network of distribution partners, or through any of our 20 Reading Truck equipment locations, where you'll find everything you need to outfit a single truck or an entire fleet.


Our success comes from putting you first; understanding what you need to work at your very best and being there for you.



825 E. Wyomissing Blvd.
Reading, PA 19611

readingtruck.com

Sold and Serviced Locally by



**© 2021 Reading Truck. All rights reserved.
Version Number RT21-SB-11**

All dimensions subject to plus or minus tolerance of $\frac{1}{4}$ " and all dimensions and specifications are subject to change without notice. Some items displayed in photographs are optional. Aluma-Fill, Aluma-Chock, Dual-Pro, Extend-A-Shelf, Latch-Matic, Marauder, Reading, Redi-Dek, Spacemaker, and Tool-Mates are registered trademarks of The Reading Group, LLC, (DBA Reading Truck) in the United States and some foreign countries.



Communication Technologies Inc

1900 Elk Street, Rock Springs WY 82901 Phone: 307-382-5663 Fax: 307-382-7323

204 Tulip, Lander WY 82520 Phone: 307-332-6425

189 Progress Circle Mills, Wy. 82644 Phone: 307-232-8870 Fax: 307-265-6578

Date: 07/25/24

Customer Name: Fremont Motors
Contact Name: Bret Osborne
Address:
City: Casper **State:** WY 82609
Phone: **Fax:**

Quote No. City of Douglas

Product/Service Name	Quantity	Price	Total
Motorola #AAM0101JQC9JC1N CM200d Mobile Radio w/VHF, 45W, 16 Channel, Microphone, Mounting Bracket, Power Cable, 3 Year Warranty, Programming (City of Douglas Specs)	1	565.00	\$565.00
91732 VHF Antenna	1	60.00	\$60.00
90942 Coax Cable	1	26.00	\$26.00
38332 Minu U Connector	1	2.50	\$2.50
HLN9457 Ignition Hardware Cable	1	8.50	\$8.50
Installation	1	275.00	\$275.00
Estimated shipping	1	20.00	\$20.00
			\$0.00
			\$0.00
			\$0.00
			\$0.00
			\$0.00
Prices Are Valid For 60 Days From Quote Date Radio programmed to P.W. 155.085 freq		Sub Total	\$957.00
		Discount	_____
		Taxes	_____
		Total	\$957.00

Lori Kline
Communication Technologies



PO BOX 2888
 Casper, WY 82602
 Kevin Balster
 (307) 262-6028
 (307) 262-6028 Mobile
 kevin@307atec.com

Bill To Name Fremont Motor Company - Sheridan Ford
 Bill To 1658 COFFEEN AVENUE
 SHERIDAN, WY 82801
 USA
 Ship To 1658 COFFEEN AVENUE
 SHERIDAN, WY 82801
 USA

Quote Number 00015714
 Order Number 4719
 Created Date 7/18/2024
 Contact Name Brett Osborne
 Phone 307-675-1958
 Email bosborne@fremontmotors.com
 Expiration Date 8/2/2024

VIN	Year	Make	Model	Fuel Type	Cab Configuration	Wheel	Cab to Axle
tbd	2024	Ford	F450	Gas	Extended	Dual	60.00

Product	Custom Description	Quantity	Sales Price	Total Price
9' SERVICE BODY (PAINTED KNAP WHITE)	6108D54-2 Standard - Steel Service Bodies 600-Series, 107.25" Length, 40" High, 20" Deep Compts, 54" Floor, Painted White, w/Lights Installed PRICES INCLUDE THE FOLLOWING STANDARD FEATURES: * TWO (2) ADJUSTABLE DIVIDER SHELVES & DIVIDERS, STREET & CURB SIDE FRONT VERTICAL COMPARTMENT * ONE (1) ADJUSTABLE DIVIDER SHELF & DIVIDERS, STREET AND CURB SIDE FULL HEIGHT REAR VERTICAL COMPARTMENT * ONE (1) ADJUSTABLE DIVIDER SHELF & DIVIDERS, CURB SIDE HORIZONTAL COMPARTMENT * AUTOMOTIVE QUALITY ROTARY LATCHES & DOUBLE SPRING OVER CENTER DOOR RETAINERS ON ALL VERTICAL DOORS, ONE (1) 12" SLAM TAILGATE * LIGHT MOUNTING HOLES AND KNAPHEIDE LIGHTS PAINTED KNAPHEIDE WHITE COMPLETE WITH ALL LIGHTS WIRED AND INSTALLED	1.00	\$11,000.00	\$11,000.00
94" Wide KnapLined Galva-Grip Bumper with Hitch Recess	94" Wide KnapLined Galva-Grip Bumper with Hitch Recess	1.00	\$1,025.00	\$1,025.00
6" INSTALL KIT 2017 & NEWER FORD	Install Kit for Steel Service Body w/ 6" Understructure 2017 & Newer Ford F450/550 or 2022 & Newer F600 60"-84" CA-Loose	1.00	\$483.00	\$483.00
HITCH MOUNTING PLATE	Trailer Hitch Rear Mounting Hardware; Ultra Frame ®; For Service Body Trucks; 7 Inch Long Side Bracket Kit; Set Of 2	1.00	\$68.00	\$68.00
UTILITY HITCH TUBE	TRAILER HITCH REAR; ULTRA FRAME (R); CLASS V; SQUARE TUBE 3-PIECE; 2 INCH RECEIVER; 16000 POUND WEIGHT CARRYING CAPACITY/1600 POUND TONGUE WEIGHT; WELD TOGETHER FOR SERVICE BODY TRUCKS; 44" INCH CROSSTUBE ONLY	1.00	\$217.11	\$217.11
2023 FORD CAB CHAS.FASFLSH KIT	2023 FORD CAB CHAS.FASFLSH KIT, PART # 3534624 2023 Ford Super Duty Cab Chassis models for 60", 84", 108", and 120"CA	1.00	\$121.55	\$121.55



PO BOX 2888
 Casper, WY 82602
 Kevin Balster
 (307) 262-6028
 (307) 262-6028 Mobile
 kevin@307atec.com

ALUMINUM FUEL FILL CUP	ALUMINUM FUEL FILL CUP FORD SUPER DUTY OR RAM - LOOSE	1.00	\$92.85	\$92.85
GARDIT 920A	SPRAYLINE MATERIAL BY GAL	2.50	\$79.00	\$197.50
GARDIT 920b	SPRAYLINE MATERIAL BY GAL	2.50	\$79.00	\$197.50
15" LED MINI LIGHT BAR	OCTAGONAL; AMBER/CLEAR Installed by end user	1.00	\$186.00	\$186.00
Motorola #AAM0101JQC9JC1N CM200d Mobile Radio	Pricing Includes: -Motorola #AAM0101JQC9JC1N CM200d Mobile Radio w/VHF, 45W, 16 Channel, Microphone, Mounting Bracket, Power Cable, 3 Year Warranty, Programming. -VHF Antenna -Coax Cable -Minu U Connector -Ignition Hardware Cable programed to 155.085	1.00	\$827.50	\$827.50
SHOP SUPPLIES	Shop Supplies Include But Are Not Limited To: Installation Hardware, Steel, Miscellaneous Electrical, Hydraulic Products, Oils, Lubes, Waste Disposal And Paint Products.	24.00	\$10.00	\$240.00

Totals

Total Parts Price	\$14,656.01
Total Labor Price	\$2,125.00
Pre-Tax Quote Total	\$16,781.01
Freight	\$925.71
Tax Total	\$0.00
Deposit	\$0.00
Quote Grand Total	\$17,706.72

Quote Acceptance

Signature: _____

Name: _____

Date: _____

Price is in
 Total bid price

Terms & Conditions

- F.O.B Ameritech Equipment Company. Freight charge is estimated at the time of quotation. The charge is subject to change at the time of delivery.
- Modifications to customer order after quotation will be at the customer's expense and will be added to the customer's invoice. Customer will be notified prior to any modifications.
- **Fast flash adjustments vary by model and is Customer Responsibility.**
- Quoted price may not include any applicable F.E.T., sales taxes, and delivery charges, or surcharges from manufacturer.
- Quote price does not include any unforeseen obstructions or modifications.
- Quotation valid until above stated expiration date.
- Terms are due upon receipt unless prior credit arrangements are made at the time of order.
- 50% down payment required with special order items, **NON REFUNDABLE.**



PO BOX 2888
Casper, WY 82602

Kevin Balster
(307) 262-6028
(307) 262-6028 Mobile
kevin@307atec.com

- In the event your products are returned, your credit card processing fee and freight are **NON REFUNDABLE**.
- **ALL** returns are subject to a **RESTOCK FEE**.
- **We only Accept Cash, Check, Visa and MasterCard. A Processing Fee will be applied on all Credit Card Sales**

****Repair Payment and Warranty Policy****

1. ****Payment Terms:****
 - All repairs must be paid in full at the time of service.
2. ****Warranty Claims:****
 - After repairs are completed, we will submit a warranty claim on your behalf.
 - Submitting a warranty claim does not guarantee that the repairs will be covered under warranty. - Warranty claims will be paid if approved by the manufacturer.
3. ****Reimbursement and Credits:****
 - If the warranty claim is approved and we receive reimbursement, we will issue a credit to your account.
4. ****Exclusions:****
 - This warranty policy does not apply to replacements needed due to misuse, negligence, abuse, neglect, or improper equipment maintenance.
 - Any issues resulting from use outside of normal parameters will void the warranty.
5. ****Compliance:****
 - This policy is designed to comply with all relevant Wyoming state laws and regulations. If any part of this policy is found to be in conflict with state laws, the relevant legal provisions will take precedence. If you have any questions or concerns regarding this policy, please feel free to contact us.

		Meets Specifications		Yes	No
VII.	STEERING				
	1. Power steering.				
	2. Tilt steering wheel.				

		Meets Specifications		Yes	No
VIII.	ELECTRICAL SYSTEM				
	1. High-capacity alternator.				
	2. 900 Amp battery.				
	3. Easy access fuse & relay boxes.				
	4. Minimum 110 400-watt converter				

		Meets Specifications		Yes	No
IX.	TRANSMISSION & EQUIPMENT				
	1. Automatic Transmission. with over drive.				
	2. Column shift				
	3. 4X4 transfer case				

		Meets Specifications		Yes	No
X	CAB & CAB-RELATED EQUIPMENT				
	1. Manual Integral air conditioning & heating.				
	2. Sound system: Manufacturer's standard. Optional Bluetooth				
	3. Interior mirror, wide-angle, day-night type.				
	4. Remote start				
	5. Tow haul power exterior mirrors				
	6. Front seat to be 40/20/40 cloth type seats				
	7. Super Cab/ Extended Cab				
	8. Cruise control.				
	9. Cargo area lamp.				
	10. Flooring black vinyl with manufacturer's floor mats.				
	11. Gauges and meters – fuel, oil pressure, transmission temperature, engine coolant temperature; speedometer, odometer and tachometer.				
	12. Three (3) programed keys/fobs.				
	13. Power windows and door locks.				
	14. Intermittent windshield wipers.				
	15. Rear back-up camera with prep kit				
	16. Outside temperature display.				

Meets Specifications

XII	MISCELLANEOUS ITEMS:				
	1. Front tow hooks				
	2. Steps full length of Cab				
	3. Steel Utility Box with spray in bed liner		X		
	4. Stainless Steel T type Handles			X	
	5. Stainless Steel bolt on Hinges and removable Tailgate			X	
	6. Modern rectangular LED Tail lights and marker lights		X		

See T1
ie

Meets Specifications

Rear hitch inc with Bed

7. Trailer tow package to include in dash electric brake control		
8. Class one Led Mini light bar (City of Douglas will mount)	X	
9. Minimum Fuel Capacity – 44 Gal.		
10. Motorola CM200 two way radio programed to P.W. 155.085 Frequency	X	

Meets Specifications

XII PAINT & TRIM	Yes	No
1. Exterior paint is white		
2. Interior colors medium dark		

XIII MANUALS	Yes	No
1. Complete manuals for vehicle operation, maintenance shall be with the truck at the time of delivery.		

Meets Specifications

XIV WARRANTY	Yes	No
1. Bumper To Bumper warranty shall be a minimum of 3 years/36,000 miles		
2. Warranty on powertrain shall be for 5 years/60,000 miles, whichever comes first, and cover all parts and labor, a copy of the warranty shall be with the vehicle at the time of delivery.		
3. Warranty on rust-through shall be 5 years / unlimited miles		

End of Section

COMMITMENT TO CORROSION RESISTANCE

Corrosion won't be a concern when you buy quality Knapheide products. To give you the best corrosion protection, we utilize a state-of-the-art, custom-designed, 12-step, SST cathodic electrodeposition finishing system, called "E-Coat."

It bonds prime paint to steel by an electroplating process to give you a superior coat of primer, resulting in better corrosion protection compared to spraying methods.

This system allows us to create products with the highest level of corrosion resistance available.



FOLLOW US
LIKE US
TAG US



**SIX YEAR,
LIMITED TIME
WARRANTY**



**NO RUST
THROUGH**



**DOOR HINGES
WILL NOT FAIL OR
COME OFF BODY**



**LATCHES AND LOCK
CYLINDERS WILL NOT
FAIL TO OPERATE**



**SHELVES WILL NOT
BEND UNDER MAX.
LOAD OF 250 LBS.**

TO LEARN MORE VISIT

www.knapheide.com/warranty

POPULAR OPTIONS

BUMPERS

Knapheide bumpers are constructed with work in mind. With three configurations, we have a bumper for every need. Select bumpers available with Knapliner coating for additional friction and durability.



HITCH RECESS BUMPERS



STEP BUMPERS




STRAIGHT BUMPERS



TELESCOPIC SLIDING ROOF

Telescopic sliding roofs offer a robust enclosure for the cargo space of your Service Body, allowing you to protect your tools and equipment from theft and weather.




CRANE REINFORCEMENT KIT

The crane reinforcement kit option allows you to incorporate a crane up to 4,000 lb. capacity (16,000 ft-lb. max.) onto the rear curb side corner of your body.

CANOPY ROOF

The canopy roof option allows you to fully enclose your cargo area. Canopy roofs are available in three heights, straight sides, and with stationary or telescopic roofs. Full width roofs are also available. For a tapered-side one-piece body design, take a look at our KUVcc product line.




STRAIGHT SIDES




TELESCOPIC ROOF



SIDE ACCESS DOORS



SIDE LADDER RACKS




REAR ACCESS DOOR

RACKS

Adding a rack to your Service Body increases your storage space by getting your ladders and other long tools or equipment up and out of the way, making room to haul more items in your cargo area.




UTILITY RACK
1,000 lb. capacity -
forklift loadable



SIDE MOUNT LADDER RACK
150 lb. capacity

NOT PICTURED (APPLIES TO SIDE MOUNT & OVERHEAD LADDER RACKS):

- LADDER RACK ROLLERS**
- LADDER RACK RAILS**



OVERHEAD LADDER RACK
300 lb. capacity

COMPARTMENT CONFIGURATIONS



500 SERIES COMPARTMENTS

The 500 Series Service Bodies feature a horizontal compartment that stretches from the first vertical compartment to the end of the body with a small, rear lower compartment.



600 SERIES COMPARTMENTS

The 600 Series Service Bodies feature a horizontal compartment that is positioned over the wheel well and one vertical compartment in the front of the body and one at the rear of the body.



700 SERIES COMPARTMENTS

The 700 Series has 500 Series configuration on the curb side and 600 Series on the street side.



LOW PROFILE BODY

Low Profile Bodies, denoted by "LP", offer greater visibility from the cab while only sacrificing 4" of the body height compared to a standard Service Body.




RAISED FRONT COMPARTMENTS

This configuration raises the curb side front vertical compartment to 60" tall, denoted by "60". "60-L" indicates raised front compartment on the street side (left) of the body, and "60-B" indicates raised front compartments on both sides.




FLIP TOP COMPARTMENTS

Flip Tops, denoted by "F", allow for greater internal storage, organization and flexibility. Knapscheide Flip Tops have a slammable top lid door and a convenient one-hand release located in the horizontal compartment.



ROLL UP DOOR FRONT VERTICAL COMPARTMENTS


Roll Up Doors, denoted by "RDV", are featured on both front vertical compartments of the body. Doors are of aluminum construction, with spring-loaded roller for easy operation. Available on all compartments via custom body quote.



THREE-DRAWER UNIT

PLUS 50 TRANSVERSE COMPARTMENTS

Plus 50 models feature a transverse compartment in the curb side front vertical extending to the street side compartment back. Plus 50 models have 50% more effective storage capacity. Models are denoted by "50".



TWO-DRAWER UNIT

Depending on body model, compartments have either two or three drawers, 59" or 69" long. All drawers are rated for 250-lb. and have dividers every 4".

PRODUCT FEATURES

A. DOUBLE-SHELL, 20-GAUGE, TWO-SIDED A-40 GALVANNEAL STEEL compartment doors


B. ADJUSTABLE SECURITY RING STRIKERS provide a weather-tight seal

C. INTERIOR COVER protects internal latch from damage

D. SLAM-LOCK TAILGATE with one-hand center release

E. UPGRADED SURFACE MOUNT LIGHTING SYSTEM features LED S/T/T and B/U/L LED strobe option* with (8) selectable patterns, and built-in reflectivity for additional safety**

*Additional wire harness required for strobe lights
**Lights covered by 3-year limited warranty



Note: Body may be shown with optional features.

FEATURES NOT SHOWN

EXCLUSIVE "RETURN FLANGE" FLOOR DESIGN provides support

E-COAT PROTECTION
Knapheide Bodies are fully immersed in Knapheide's Z-Prime electrocoating process for superior corrosion resistance.

QUICK-MOUNT INSTALLATION allows for fast, safe mounting


COMPARTMENT FEATURES



DOUBLE-SPRING OVER-CENTER RETAINER on vertical compartment doors eliminate involuntary swing



NEOPRENE DOOR SEALS protect compartments from the weather



CONTINUOUS STAINLESS STEEL HINGES are pry-proof and corrosion-resistant



INTERIOR LIGHT GUARDS protect recessed lighting and wiring

STANDARD SHELVING



STREET AND CURB SIDE FRONT VERTICAL COMPARTMENTS
Two adjustable divider shelves and dividers, with a 250-lb. capacity (1st and 2nd vertical 132" bodies only)




STREET AND CURB SIDE FULL HEIGHT REAR VERTICAL COMPARTMENTS
One adjustable divider shelf and dividers with a 250-lb. capacity



CURB SIDE HORIZONTAL COMPARTMENT
One adjustable divider shelf and dividers with a 250-lb. capacity


60" tall bodies include an extra divider shelf in each compartment, including one in the streetside horizontal.

KNAPHEIDE STEEL SERVICE BODIES



STANDARD STEEL SERVICE BODIES

With a rugged steel construction and external storage for your tools and equipment, the Service Body is a key component in your day-to-day productivity. The external compartments offer protection from outside elements and allow technicians to access their equipment without having to climb into the truck bed. Staying organized both on and between job sites is important. Get maximum efficiency with a Knapheide Service Body.



SERVICE BODY STEEL SHELL

Rugged two-sided A-40 galvalneal steel body shell with a six year warranty. Complete undercoating provides an additional layer of corrosion protection.

POPULAR VOCATIONS



CONSTRUCTION




MUNICIPALITIES/
UTILITIES



OIL/MINING/GAS

STEEL SERVICE BODIES FORD



KNAPHEIDE
SINCE 1848

KNAPHEIDE
SINCE 1848

NEVER SETTLE

If you are going to be a leader, it takes more than building a high-quality product. It means never being totally satisfied with that product, no matter how high quality it may be. It requires constant vigilance and a willingness to take a chance on something new. And it means exceeding expectations every time. As the industry changes, one thing never will—our commitment to making customers like you as productive and efficient as possible. We know you don't settle, and we don't either. That's why we want you never to settle for anything less than Knapheide on the back of your truck.

KNAPHEIDE. NEVER SETTLE.



The Knapheide Manufacturing Company
1848 Westphalia Strasse | Quincy, IL 62305
217-222-7131
www.knapheide.com

FREMONT MOTOR CASPER, INC
6101 E 2ND ST
CASPER, WY 826094262

Priced Order Conf

Option Diesel
IN STOCK

Date Printed: 2024-07-24 7:12 PM VIN: 3C7WRL6L0NG120127
Estimated Ship Date: 2023-09-29 1:59 AM VON: 58974058 Status: KZ - Released by plant and invoiced
Date Ordered: 2023-05-11 2:28 PM Ordered By: S13893F
Date Modified: 2024-04-23 4:21 PM Modified By: s40513j

Sold to: FREMONT MOTOR CASPER, INC (45518)
6101 E 2ND ST
CASPER, WY 826094262
Ship to: FREMONT MOTOR CASPER, INC (45518)
6101 E 2ND ST
CASPER, WY 826094262

Vehicle: 2024 4500 CREW CAB CHASSIS 4X4 (173.4 in WB - CA of 60 in) (DP9L93)

	Sales Code	Description	MSRP(USD)
Model:	DP9L93	4500 CREW CAB CHASSIS 4X4 (173.4 in WB - CA of 60 in)	60,735
Package:	2YA	Customer Preferred Package 2YA	0
	ETN	6.7L I6 Cummins Turbo Diesel Engine	9,295
	DF2	6-Spd Auto Aisin AS69RC HD Trans	1,000
Paint/Seat/Trim:	PW7	Bright White Clear Coat	0
	APA	Monotone Paint	0
	*TX	HD Vinyl 40/20/40 Split Bench Seat	0
	-X8	Black/Diesel Gray	0
Options:	YEP	Manuf Statement of Origin	0
	XHC	Trailer Brake Control	465
	TBB	Full Size Spare Tire	395
	NAS	50 State Emissions	0
	LPE	Cargo and CHMSL Lamp	95
	JKV	115V Auxiliary Power Outlet	195
	CFM	Rear Folding Seat	0
	AHD	Heavy Duty Snow Plow Prep Group	410
	ADE	Cold Weather Group	200
	4NU	Fuel Fill / Battery Charge	0
	YGL	6 Additional Gallons of Diesel Fuel	0
Non Equipment:	5N6	Easy Order	0
	4FM	Fleet Option Editor	0
Destination Fees:	4DN	Recreational Vehicle Tracking	0
			1,995

Total Price: 74,785. Chassis only

Order Type: Retail PSP Month/Week:
Scheduling Priority: 4-Dealer Order Build Priority: 99
Salesperson:
Customer Name:
Customer Address:

Instructions:

Option enclosed. 2024 Ram
4500 with Knapheide bed
11XD24123 Cummins diesel
\$88,109.00 IN STOCK!

Note: This is not an invoice. The prices and equipment shown on this priced order confirmation are tentative and subject to change or correction without prior notice. No claims against the content listed or prices quoted will be accepted. Refer to the vehicle invoice for final vehicle content and pricing. Orders are accepted only when the vehicle is shipped by the factory.



Auto Truck Group LLC dba Holman Remit To: Auto Truck Group LLC dba Holman
 1420 Brewster Creek Blvd
 Bartlett IL 60103-1695
 Phone: (630) 860-5600 -
 ARTEAM@HOLMAN.COM

Order Date	Order No.	Customer P.O.	Terms	Sales Rep	Invoice Date	Invoice ID
5/18/2023	4000684	SIGNED QUOTE	N30	Fleet	4/19/2024	4000684

B
I
L
L
T
O

10837
 Fremont Motors
 6101 E 2nd St
 Casper WY 82609-4262

S
H
I
P
T
O

10837
 Fremont Motors
 WY

Unit No:	VIN: 3C7WRLEL8RG120127
----------	------------------------

Model	Description	Amount
-------	-------------	--------

CT40000190	6108D54J-ASP RAM;DRW;60"CA (1) Knapheide 6108D54J Utility Body 108" long x 94" wide x 40" tall compartments 54" wide floor 20" deep compartments Double spring over center door retainer on vertical compartments A-40 galvanized steel, 250lb capacity divider shelves Paddle activated rotary latches, master locking Bulb-type neoprene door seals, Interior light guards, for stop/tail, back up lights Stainless steel Continuous hinge on doors, Pintle hook recess bumper Slam latch tailgate Complete undercoating, Painted white Installed Weight slip 2ND Stage MSO	
------------	---	--

CT40000224	HITCH; SERVICE BODY SUPPLY AND INSTALL Class IV receiver hitch for service body 2" receiver tube, hitch pin 16,000LB. M.G.T.W	
------------	---	--

CT40000225	PLUG; TRAILER; SERVICE BODY	
------------	------------------------------------	--



Auto Truck Group LLC dba Holman Remit To:
1420 Brewster Creek Blvd
Bartlett IL 60103-1695
Phone: (630) 860-5600 -
ARTEAM@HOLMAN.COM

Auto Truck Group LLC dba Holman
1420 Brewster Creek Blvd
Bartlett IL 60103-1695

Order Date	Order No.	Customer P.O.	Terms	Sales Rep	Invoice Date	Invoice ID
5/18/2023	4000684	SIGNED QUOTE	N30	Fleet	4/19/2024	4000684

Model	Description	Amount
	SUPPLY AND INSTALL 7-pole trailer plug ("flat" pin style)	

Subtotal:
Discount:
Freight:
Excise Tax:
Sales Tax:
Special Charges:
Order Total (USD):

A late fee of 1.5% per month may be charged on past due balances

Has NO center console



Fremont Brett <bosborne@fremontmotors.com>

11XD24123 in stock DIESEL

Fremont Brett <bosborne@fremontmotors.com>
Draft

Wed, Jul 31, 2024 at 9:39 AM



Brett Osborne

Fleet/Commercial Sales New-Preowned

307.233.8654

Fremont Motor-6101 E 2nd Street Casper WY 82609

RAM DODGE JEEP CHRYSLER

Fremont Motor-1658 Coffeen Avenue Sheridan WY 82801

FORD

Fremont Motor-1401 N Federal Blvd Riverton WY 82501

CHEVROLET GMC

FremontMotors.com





Does not have center console