

## **CITY OF DOUGLAS**

### **Bid Specifications and Contract Documents for One New 2024/25 1-1/2 Ton 4x4 with Utility Box**

Douglas City Hall  
101 N. 4<sup>th</sup> Street  
PO Box 1030  
Douglas, WY 82633

### **Public Works/ Shop Department**

420 W Grant St.  
PO Box 1030  
Douglas, WY 82633

**TABLE OF CONTENTS**

Check if Included	Document Description
✓	1. Instructions to Bidders and Call for Bids (Legal Advertisement and Detailed Notice)
✓	2. Bid Information and Forms:
✓	a. Schedule of Prices
✓	b. Bid Bond – Vehicles and Equipment
✓	c. Signature Page
✓	3. Notice of Award – Vehicles and Equipment
✓	4. Specifications

**All items checked are in this packet.**

*End of Section*



**CITY OF DOUGLAS**  
**INSTRUCTIONS TO BIDDERS – EQUIPMENT AND VEHICLES**  
**Date of Creation/Revisions to Document**

**1. DEFINED TERMS**

- A. The term “OWNER” means the City of Douglas, a municipal corporation, located at 101 North 4th Street, P.O. Box 1030, Douglas, Wyoming 82633.
- B. The term “BIDDER” means the individual person or company who submits a bid directly to the Owner and is distinct and separate from a sub-bidder, who submits a bid to a Bidder.
- C. The term “SUCCESSFUL BIDDER” means the lowest, qualified, responsible, and responsive Bidder who receives the project award based on the Owner's evaluation.
- D. The term “BIDDING DOCUMENTS” includes the instructions to bidders, the bid form (including bid schedule, if applicable), drawings, specifications, and all other proposed documents (including all addenda issued prior to receipt of bids, if applicable).

**2. ADVERTISEMENT FOR BIDS**

- A. Sealed bids for **One New 2024/25 1-1/2 Ton 4x4 with Utility Box** will be received at Douglas City Hall, 101 N. 4<sup>th</sup> Street, until **2:45 PM MST on July 31, 2024**, and then will be publicly opened and read aloud. Any bids received after the specified date and time will not be accepted or considered. Approved bidding documents may be obtained at **Public Works Dept. 420 W. Grant Street** or on the City of Douglas website at [www.cityofdouglas.org](http://www.cityofdouglas.org) under the “Bid Postings” tab. **Bid should include the option of an allowance for trade-None** Each bid must be submitted on the bid form and accompanied by bid security payable to the City of Douglas as prescribed in the bidding documents in an amount not less than five percent (5%) of the amount bid. Bids may be subject to the Wyoming Preference Act. Mail submitted bids to the City Clerk, City of Douglas, P.O. Box 1030, Douglas, WY 82633, or deliver to the City Clerk at 101 N. 4th Street, Douglas, WY. To perform public work, the successful Bidder and subcontractors, prior to contract award, shall hold or obtain such licenses as required by State Statutes and federal and local laws and regulations. The City of Douglas reserves the right to reject any and all bids, to waive as an informality any irregularities contained in a bid, and to accept the bid that serves the best interests of the City.

/s/, City Clerk; Published: **July 11, 2024**, Douglas Budget

Not responsible for factory  
cancellations or delays  
Delivery will be as soon as  
possible

**CITY OF DOUGLAS  
BID INFORMATION AND FORMS**

1. Sealed bids will be received until **2:45 PM, July 31, 2024** at the Office of the City Clerk and will be opened and publicly read aloud immediately thereafter in the Conference Room, City of Douglas, Wyoming, 101 North 4<sup>th</sup> Street, Douglas, Wyoming, for **2024/2025 1-1/2 Ton 4x4 with Utility Box. Non-Demonstrative** units will not be accepted or considered in the bid proposal.
2. Bid proposals delivered in person will be received **only** at the Office of the City Clerk. Bids received **after** the time fixed for bid reception **will not be considered**. All bids must be clearly marked One New **"2024/2025 1-1/2 Ton 4x4 with Utility Box"** with the bidder's name and the time and date of the opening on the outside of the envelope. The City of Douglas reserves the right to reject any and all bids, to waive as an informality any irregularities contained in a bid, and to accept the bid that serves the best interests of the City.
3. Approved Specifications and Form of Contract Documents may be obtained at the **Clint Nystul Fleet/Supervisor Public Works 420 W. Grant Street**, Douglas Wyoming 82633, or on the City of Douglas website, [www.cityofdouglas.org](http://www.cityofdouglas.org), under "Bid Postings/Related Documents" section.
4. Delivery will be accepted 120 days after notice of award, F.O.B. (Free on Board) Douglas, Wyoming. Tax Exempt Certificate will be furnished by the City of Douglas. *As close as possible*
5. A certified check, cashier's check, or bid bond in the amount of five percent (5%) of the total amount of the bid, including allowances, additive alternates, trade-ins, and concessions, must accompany each bid and must be payable without condition to the Owner as a guarantee that the Bidder will provide specified unit(s). The City of Douglas will allow a 5% preference to Wyoming residents. Bids may be subject to the Wyoming Preference Act. Bidders will supply a Certificate of Residency in compliance with the Wyoming Department of Labor and Statistics.
6. Complete sets of bidding documents must be used in preparing bids; the Owner does not assume any responsibility for errors or misinterpretations resulting from the use of incomplete sets of bidding documents. The Owner, in making copies of bidding documents available on the above terms, do so only for the purpose of obtaining bids on the work and do not confer a license or grant for any other use.
7. The policy of the City of Douglas is to provide and afford equal treatment and service to all citizens and assure equal employment opportunity based on ability and fitness to all persons regardless of race, creed, national origin, sex, physical or mental disabilities or age. This policy shall apply to every aspect of employment practices, employee treatment and public contact. No qualified individual with a disability shall, by reason of such disability, be excluded from participation in or be denied the benefits of the services, programs or activities of the City of Douglas, or be subjected to discrimination. Pursuant to the American's with Disabilities Act, reasonable accommodation for persons with disabilities who wish to participate in these services, programs, or activities shall be made upon request to City of Douglas, ADA Coordinator at Douglas City Hall, 101 North 4<sup>th</sup> Street, Douglas, Wyoming.

**SCHEDULE OF PRICES**

**Company Name:** \_\_\_\_\_ Brett Osborne  
 \_\_\_\_\_ Fremont Motors-Sheridan (Ford)  
**Mailing Address:** \_\_\_\_\_ 1658 Coffeen Ave  
 \_\_\_\_\_ Sheridan WY 82801  
 to furnish equipment as specified to t \_\_\_\_\_ specifications  
 dated 7-29-24

**BID ITEM DESCRIPTION**

<b>Year – Make – Model:</b>	<u>2028 FORD F450</u>
<b>Base Bid:</b>	\$ <u>77641<sup>00</sup></u>
Option #1: 2024/2025 Ext Cab 1-1/2 Ton 4x4 with Utility Box	\$ -
Option #2:	\$ -
Less Trade-In N/A	-\$ -
Less Government Concessions:	-\$ <u>100<sup>00</sup></u>
<b>Total Bid Amount:</b>	\$ <u>77541</u>

In addition to this proposal, the undersigned Bidder agrees to submit complete information, including specifications and descriptive literature to fully describe and illustrate the equipment, vehicle, and/or accessories offered. Bidder proposes to deliver equipment or vehicle in accordance with the schedule included in the Bid Information. A bid bond or certified or cashier's check made payable to the City of Douglas, Wyoming, in an amount of 5% of the total amount of this bid is enclosed. The Bidder understands that the Owner allows a 5% preference to Wyoming residents and that Bids may be subject to the Wyoming Preference Act. The Bidder further attests that the specifications relating to the bid security are understood and the conditions set forth in said specifications are agreed upon.

Signature of Representative Responsible for Bid: \_\_\_\_\_

Printed Name & Title of Signer: \_\_\_\_\_ Brett Osborne  
 \_\_\_\_\_ Fremont Motors-Sheridan (Ford)  
 Company Name & Address of Bidder: \_\_\_\_\_ 1658 Coffeen Ave  
 \_\_\_\_\_ Sheridan WY 82801

*(Proposal must be filled out, signed and submitted with the bid document)*

**End of Section**

NOT responsible if the factory can NOT build unit and would ask for our cashiers check back if this be the case

Bidder Initials: Bn  
 Page 6 of 13

8. The City of Douglas hereby notifies all bidders that it will affirmatively insure that pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, creed, color, sex, physical or mental disabilities, or national origin in consideration of an award.
  
9. The bidder shall indicate his compliance with a "Yes" or non-compliance with a "No" in each line item specification. Where submitted literature does not support the meeting of these specifications, the bidder shall outline fully on company letterhead stationary the variation from specification. Any unit not conforming to the specifications will be rejected, and it will be the responsibility of the manufacturer to conform to the requirements, unless deviations have been cited by the bidder and acceptance is based upon the exceptions.

*End of Section*

.....

**BID BOND – VEHICLES, EQUIPMENT**

**KNOW ALL MEN BY THESE PRESENT**, that we, the undersigned, \_\_\_\_\_ as Principal, and \_\_\_\_\_ as surety, are hereby held and firmly bound unto \_\_\_\_\_ as Owner in the penal sum of \_\_\_\_\_ for payment of which, we and truly to be made, we hereby jointly and severally bind ourselves, successors and assigns.

The condition of the above obligation is such that whereas the Principal has submitted to the City of Douglas, Wyoming, a certain Bid, attached hereto and hereby made a part hereof to enter into a contract in writing for the **2024/25 1-1/2 Ton 4X4 with Utility Box**

**NOW, THEREFORE,**

- a. If said bid shall be rejected, or
- b. If said bid shall be accepted and the Principal shall execute and deliver a contract in the Form of Contract attached hereto (properly completed in accordance with said bid) and shall furnish a Performance/Contractor's Bond for his faithful performance of said contract, and for the payment of all persons performing labor or furnishing materials in connection therewith and shall in all respects perform the agreement created by the acceptance of said bid, then this obligation shall be void. Otherwise, the same shall remain in force and effect; it being expressly understood and agreed that the liability of the Surety for any and all claims hereunder shall, in no event, exceed the penal amount of this obligation as herein stated.

The Surety, for value received, hereby stipulates and agrees that the obligations of said Surety and its Bond shall in no way be impaired or affected by any extension of the time within which the Owner may accept such bid; and said Surety does hereby waive notice of any such extension.

**IN WITNESS WHEREOF**, the Principal and the Surety have hereunto set their hands and seals, and such of them as are corporations have caused their corporate seals to be hereto affixed and these presents to be signed by their proper officers, the day and year first set forth above.

**PRINCIPAL:**

By: \_\_\_\_\_ (seal)

**SURETY:**

By: \_\_\_\_\_ (seal)

**IMPORTANT:** Surety companies executing BONDS must appear in the Treasury Department's most current list (Circular 570 as amended) and be authorized to transact business in the State of Wyoming.

*End of Section*



**SIGNATURE PAGE**

IF BIDDER IS:

**AN INDIVIDUAL**

By: \_\_\_\_\_ doing business as: \_\_\_\_\_  
(Name)

Address: \_\_\_\_\_ Phone: \_\_\_\_\_

**A PARTNERSHIP**

By: \_\_\_\_\_ (seal)  
(Firm Name)

\_\_\_\_\_  
(General Partner)

Business Address: \_\_\_\_\_ Phone: \_\_\_\_\_

**A CORPORATION**

By: FREMONT MOTOR of \_\_\_\_\_  
(Corporation Name) (State of Incorporation)

By: \_\_\_\_\_ (Signature) \_\_\_\_\_ (Title)

ATTEST: \_\_\_\_\_ (Corporate Seal)

Business Address: 1658 Coffeen Ave Phone: 307-233-8654  
Shelidan WY 82801

**A JOINT VENTURE**

By: \_\_\_\_\_ Address: \_\_\_\_\_

By: \_\_\_\_\_ Address: \_\_\_\_\_

By: \_\_\_\_\_ Address: \_\_\_\_\_

By: \_\_\_\_\_ Address: \_\_\_\_\_

*(Each member of the joint venture must sign; attach additional sheet if necessary.)*

**CITY OF DOUGLAS, WYOMING  
NOTICE OF AWARD  
EQUIPMENT & VEHICLES**

<b>Name of Company</b>	Brett Osborne
<b>Attention To</b>	Fremont Motors-Sheridan (Ford)
<b>Mailing Address</b>	1658 Coffeen Ave
<b>City/State/ZIP</b>	Sheridan WY 82801

<b>Project</b> (as it appears on Bid documents)	
<b>Contract Price</b>	

The Owner has considered the bid submitted by you for the above described vehicle or equipment in response to its advertisement for bids dated **Publication Dates, July 17th, and the 24<sup>th</sup> 2024** You are hereby notified that your bid has been accepted for item/s in the amount of:

<b>Year – Make – Model:</b>		<i>Atech</i>
<b>Base Bid:</b>	\$	<i>77641<sup>00</sup></i>
Option #1: 2024/2025 Ext Cab 1-1/2 Ton 4x4 with Utility Box	\$	—
Option #2:	\$	—
Less Trade-In N/A	-\$	—
Less Government Concessions:	-\$	<i>100<sup>00</sup></i>
<b>Total Bid Amount:</b>	\$	<i>77541</i>

You are required, as set forth in the bid specifications, to execute any required documentation within ten (10) days from the date of this notice and return to the Owner. Failure to comply with these conditions within the time specified will entitle Owner to consider your bid in default, to annul this Notice of Award, and to declare your bid security forfeited.

Other conditions or precedents, if any:

Dated this 29 day of July, 2024.

Bidder Initials: *BO*  
Page 9 of 13

**CITY OF DOUGLAS, OWNER**

**ACCEPTANCE OF NOTICE**

Receipt of the above NOTICE OF AWARD is hereby acknowledged.

By: \_\_\_\_\_  
SIGNATURE

By: \_\_\_\_\_  
SIGNATURE

Name/Title: J.D. Cox, City Administrator

Printed Name: \_\_\_\_\_

Title: \_\_\_\_\_

Please sign and send back to: City of Douglas, Attn: City Clerk  
P.O. Box 1030, Douglas, WY 82633

*End of Section*



**SPECIFICATIONS**

Specifications are for New **2024/2025 1-1/2 Ton 4x4 with Utility Box**. These are the minimum specifications for this unit; you must meet or exceed these specifications. If indication "No" is marked to any specifications, you must provide on a separate sheet of paper an explanation of the item that you would supply in place of the specified item. Any item not marked may result in rejection of the bid.

**SCOPE:** The vehicle or equipment being specified will be assigned to the **Public Works Dept.** and will be used within the City of Douglas as follows:

Public Works/Utility Department Unit #176

	Meets Specifications	Yes	No
<b>I. ENGINE</b>			
1. To be a minimum of 6.8-liter, 8 cylinder gasoline engine <i>7.3L</i>	✓		
2. Heavy Duty Coolant Rated To -45 Deg.	✓		
3. Engine block heater.	✓		

	Meets Specifications	Yes	No
<b>II. AXLES, FRONT/ REAR:</b>			
1. Front axle to be a four-wheel drive type	✓		
2. Heavy duty front and rear shock absorbers	✓		
3. Minimum Rear axle 4.88 axle ratio dual rear wheel drive	✓		

	Meets Specifications	Yes	No
<b>III. SUSPENSION AND WHEELBASE</b>			
1. Minimum wheelbase – 168 inches	✓		
2. Maximum GVWR – 16,500 lbs.	✓		
3. Heavy duty front and rear shock absorbers	✓		
4. Extra Heavy Service Suspension <i>COOP 67P</i>	✓		
5. Stabilizer bar	✓		

	Meets Specifications	Yes	No
<b>IV. WHEELS AND TIRES:</b>			
1. Minimum 19.5 -inch All-season/all-terrain tires <i>TRACTION</i>	✓		
2. Minimum 19.5-inch steel painted wheels	✓		
3. Matching spare tire & wheel	✓		
4. Tire pressure monitoring system. <i>NOT AVAILABLE</i>			✓

	Meets Specifications	Yes	No
<b>V. BRAKE/BRAKE RELATED EQUIPMENT</b>			
1. 4-wheel anti-lock disc brake system	✓		

	Meets Specifications	Yes	No
<b>VI. BUMPERS</b>			
1. Front: Manufacturer's standard.	✓		
2. Rear: Manufacturer's standard. <i>NOT ON CHASSIS - ON UPTIG</i>	✓		✓

		Meets Specifications	Yes	No
<b>VII.</b>	<b>STEERING</b>			
	1. Power steering.		✓	
	2. Tilt steering wheel.		✓	

		Meets Specifications	Yes	No
<b>VIII.</b>	<b>ELECTRICAL SYSTEM</b>			
	1. High-capacity alternator.		✓	
	2. 900 Amp battery. <i>750 DUAL QUOTE &amp; CODE 86M</i>			✓
	3. Easy access fuse & relay boxes.		✓	
	4. Minimum 110 400-watt converter <i>120V/400 WATT OUTLET CODE 43C</i>		✓	

		Meets Specifications	Yes	No
<b>IX.</b>	<b>TRANSMISSION &amp; EQUIPMENT</b>			
	1. Automatic Transmission. with over drive.		✓	
	2. Column shift		✓	
	3. 4X4 transfer case		✓	

		Meets Specifications	Yes	No
<b>X</b>	<b>CAB &amp; CAB-RELATED EQUIPMENT</b>			
	1. Manual Integral air conditioning & heating.		✓	
	2. Sound system: Manufacturer's standard. Optional Bluetooth		✓	
	3. Interior mirror, wide-angle, day-night type.		✓	
	4. Remote start <i>(DEALER INSTALLED)</i>		✓	
	5. Tow haul power exterior mirrors		✓	
	6. Front seat to be 40/20/40 cloth type seats		✓	
	7. Super Cab/ Extended Cab		✓	
	8. Cruise control.		✓	
	9. Cargo area lamp.		✓	
	10. Flooring black vinyl with manufacturer's floor mats.		✓	
	11. Gauges and meters – fuel, oil pressure, transmission temperature, engine coolant temperature; speedometer, odometer and tachometer.		✓	
	12. Three (3) programed keys/fobs.		✓	
	13. Power windows and door locks.		✓	
	14. Intermittent windshield wipers.		✓	
	15. Rear back-up camera with prep kit		✓	
	16. Outside temperature display.		✓	

Meets Specifications

<b>XII</b>	<b>MISCELLANEOUS ITEMS:</b>			
	1. Front tow hooks		✓	
	2. Steps full length of Cab		✓	
	3. Steel Utility Box with spray in bed liner <i>IN BOX QUOTE</i>		✓	
	4. Stainless Steel T type Handles			X
	5. Stainless Steel bolt on Hinges and removable Tailgate			X
	6. Modern rectangular LED Tail lights and marker lights		✓	

Bidder Initials: Bo  
Page 12 of 13

7. Trailer tow package to include in dash electric brake control	✓	
8. Class one Led Mini light bar (City of Douglas will mount)	✓	
9. Minimum Fuel Capacity – 44 Gal. (40 gallon)		✓
10. Motorola CM200 two way radio programed to P.W. 155.085 Frequency	✓	

Meets Specifications

<b>XII PAINT &amp; TRIM</b>	<b>Yes</b>	<b>No</b>
1. Exterior paint is white	✓	
2. Interior colors medium dark	✓	

<b>XIII MANUALS</b>	<b>Yes</b>	<b>No</b>
1. Complete manuals for vehicle operation, maintenance shall be with the truck at the time of delivery. STANDARD MANUALS	✓	

Meets Specifications

<b>XIV WARRANTY</b>	<b>Yes</b>	<b>No</b>
1. Bumper To Bumper warranty shall be a minimum of 3 years/36,000 miles	✓	
2. Warranty on powertrain shall be for 5 years/60,000 miles, whichever comes first, and cover all parts and labor, a copy of the warranty shall be with the vehicle at the time of delivery.	✓	
3. Warranty on rust-through shall be 5 years / unlimited miles	✓	

End of Section

OPTIONS NOT IN BID SPEC  
OR PRICE/PLEASE CONSIDER

- 1) Skid plates add \$150
- 2) Low deflection package on the rear to reduce rear sag \$110
- 3) Max trac tires over traction add \$100

CNGP530 VEHICLE ORDER CONFIRMATION 07/29/24 19:09:40  
 ==> 2024 F-SERIES SD Dealer: F56415  
 Order No: 0001 Priority: H3 Ord FIN: QI225 Order Type: 5B Price Level: 430  
 Ord PEP: 650A Cust/Flt Name: DOUGLAS PO Number: Page: 1 of 2

RETAIL		RETAIL	
X4H	F450 4X4 S/C CC \$58035		FRT LICENSE BKT NC
	168" WHEELBASE	18B	PLAT RUNNING BD 445
Z1	OXFORD WHITE		16500# GVWR PKG
1	CLTH 40/20/40 100	41H	ENG BLK HEATER 190
S	MED DARK SLATE	425	50 STATE EMISS NC
650A	PREF EQUIP PKG	43C	120V/400W OUTLT 175
	.XL TRIM	512	SPARE TIRE/WHL2 350
572	.AIR CONDITIONER NC	59H	HI MNT STOP LMP NC
	.AMPM/MP3/CLK		
99N	.7.3L DEV V8 ENG		TOTAL BASE AND OPTIONS 62520
44G	10-SPD AUTOMATC NC		TOTAL 62520
TGM	225 TRACTION 190		*THIS IS NOT AN INVOICE*
X48	4.88 REG AXLE NC		
	JOB #2 BUILD		* MORE ORDER INFO NEXT PAGE *
	FLEET SPCL ADJ NC		F8=Next

CNGP530 VEHICLE ORDER CONFIRMATION 07/29/24 19:09:44  
 ==> 2024 F-SERIES SD Dealer: F56415  
 Order No: 0001 Priority: H3 Ord FIN: QI225 Order Type: 5B Price Level: 430  
 Ord PEP: 650A Cust/Flt Name: DOUGLAS PO Number: Page: 2 of 2

RETAIL		RETAIL	
61J	JACK NC		DEST AND DELIV \$1995
67B	410 AMP ALTRNTR 115		
67P	XTR HD SUS FRNT 285		TOTAL BASE AND OPTIONS 62520
86M	DUAL BATTERY NC		TOTAL 62520
872	RR CAM & PREP K 415		*THIS IS NOT AN INVOICE*
	PRIVACY GLASS		
96V	XL CHROME PKG 225		
	.BACKGLASS DEF		
	.PWR SLD RR WNDW		
	.FOG LAMPS		
	.REMOTE START		
	SP DLR ACCT ADJ		
	SP FLT ACCT CR		
	FUEL CHARGE		
B4A	NET INV FLT OPT NC		

F1=Help F2=Return to Order F7=Prev  
 F4=Submit F5=Add to Library F3/F12=Veh Ord Menu

S099 - PRESS F4 TO SUBMIT QC02969

*24 options shown*  
*Chassis only*



Fremont Brett <bosborne@fremontmotors.com>

---

## Exceptions/Suggestions to Ford F450

---

Fremont Brett <bosborne@fremontmotors.com>  
Draft

Mon, Jul 29, 2024 at 5:06 PM

### Exceptions to Spec:

IV. 4 N/A

VIII. 2 Battery 750 dual battery bid factory option

XII. 9 Fuel 40 gallons factory

### Recommended options to add NOT in spec:

Code 41P Skid plates add \$100.00

Code 86S Deflection package to keep down rear sagging \$110.00

Code TGK Max traction tires add \$50

Brett Osborne

Fleet/Commercial Sales New-Preowned

307.233.8654

Fremont Motor-6101 E 2<sup>nd</sup> Street Casper WY 82609

RAM DODGE JEEP CHRYSLER

Fremont Motor-1658 Coffeen Avenue Sheridan WY 82801

FORD

Fremont Motor-1401 N Federal Blvd Riverton WY 82501

CHEVROLET GMC

FremontMotors.com





PO BOX 2888  
Casper, WY 82602

Kevin Balster  
(307) 262-6028  
(307) 262-6028 Mobile  
kevin@307atec.com

# Included in total bid price

Bill To Name	Fremont Motor Company - Sheridan Ford	Quote Number	00015714
Bill To	1658 COFFEEN AVENUE SHERIDAN, WY 82801 USA	Order Number	4719
Ship To	1658 COFFEEN AVENUE SHERIDAN, WY 82801 USA	Created Date	7/18/2024
		Contact Name	Brett Osborne
		Phone	307-675-1958
		Email	bosborne@fremontmotors.com
		Expiration Date	8/2/2024

VIN	Year	Make	Model	Fuel Type	Cab Configuration	Wheel	Cab to Axle
tbd	2024	Ford	F450	Gas	Extended	Dual	60.00

Product	Custom Description	Quantity	Sales Price	Total Price
9' SERVICE BODY (PAINTED KNAP WHITE)	6108D54-2 Standard - Steel Service Bodies 600-Series, 107.25" Length, 40" High, 20" Deep Compts, 54" Floor, Painted White, w/Lights Installed  PRICES INCLUDE THE FOLLOWING STANDARD FEATURES: * TWO (2) ADJUSTABLE DIVIDER SHELVES & DIVIDERS, STREET & CURB SIDE FRONT VERTICAL COMPARTMENT * ONE (1) ADJUSTABLE DIVIDER SHELF & DIVIDERS, STREET AND CURB SIDE FULL HEIGHT REAR VERTICAL COMPARTMENT * ONE (1) ADJUSTABLE DIVIDER SHELF & DIVIDERS, CURB SIDE HORIZONTAL COMPARTMENT * AUTOMOTIVE QUALITY ROTARY LATCHES & DOUBLE SPRING OVER CENTER DOOR RETAINERS ON ALL VERTICAL DOORS, ONE (1) 12" SLAM TAILGATE * LIGHT MOUNTING HOLES AND KNAPHEIDE LIGHTS PAINTED KNAPHEIDE WHITE COMPLETE WITH ALL LIGHTS WIRED AND INSTALLED	1.00	\$11,000.00	\$11,000.00
94" Wide KnapLined Galva-Grip Bumper with Hitch Recess	94" Wide KnapLined Galva-Grip Bumper with Hitch Recess	1.00	\$1,025.00	\$1,025.00
6" INSTALL KIT 2017 & NEWER FORD	Install Kit for Steel Service Body w/ 6" Understructure 2017 & Newer Ford F450/550 or 2022 & Newer F600 60"-84" CA-Loose	1.00	\$483.00	\$483.00
HITCH MOUNTING PLATE	Trailer Hitch Rear Mounting Hardware; Ultra Frame ®; For Service Body Trucks; 7 Inch Long Side Bracket Kit; Set Of 2	1.00	\$68.00	\$68.00
UTILITY HITCH TUBE	TRAILER HITCH REAR; ULTRA FRAME (R); CLASS V; SQUARE TUBE 3-PIECE; 2 INCH RECEIVER; 16000 POUND WEIGHT CARRYING CAPACITY/1600 POUND TONGUE WEIGHT; WELD TOGETHER FOR SERVICE BODY TRUCKS; 44" INCH CROSSTUBE ONLY	1.00	\$217.11	\$217.11
2023 FORD CAB CHAS.FASFLSH KIT	2023 FORD CAB CHAS.FASFLSH KIT, PART # 3534624 2023 Ford Super Duty Cab Chassis models for 60", 84", 108", and 120"CA	1.00	\$121.55	\$121.55



PO BOX 2888  
 Casper, WY 82602  
 Kevin Balster  
 (307) 262-6028  
 (307) 262-6028 Mobile  
 kevin@307atec.com

ALUMINUM FUEL FILL CUP	ALUMINUM FUEL FILL CUP FORD SUPER DUTY OR RAM - LOOSE	1.00	\$92.85	\$92.85
GARDIT 920A	SPRAYLINE MATERIAL BY GAL	2.50	\$79.00	\$197.50
GARDIT 920b	SPRAYLINE MATERIAL BY GAL	2.50	\$79.00	\$197.50
15" LED MINI LIGHT BAR	OCTAGONAL; AMBER/CLEAR Installed by end user	1.00	\$186.00	\$186.00
Motorola #AAM0101JQC9JC1N CM200d Mobile Radio	Pricing Includes: -Motorola #AAM0101JQC9JC1N CM200d Mobile Radio w/VHF, 45W, 16 Channel, Microphone, Mounting Bracket, Power Cable, 3 Year Warranty, Programming. -VHF Antenna -Coax Cable -Minu U Connector -Ignition Hardware Cable programed to 155.085	1.00	\$827.50	\$827.50
SHOP SUPPLIES	Shop Supplies Include But Are Not Limited To: Installation Hardware, Steel, Miscellaneous Electrical, Hydraulic Products, Oils, Lubes, Waste Disposal And Paint Products.	24.00	\$10.00	\$240.00

**Totals**

Total Parts Price	\$14,656.01
Total Labor Price	\$2,125.00
Pre-Tax Quote Total	\$16,781.01
Freight	\$925.71
Tax Total	\$0.00
Deposit	\$0.00
<b>Quote Grand Total</b>	<b>\$17,706.72</b>

**Quote Acceptance**

Signature: \_\_\_\_\_  
 Name: \_\_\_\_\_  
 Date: \_\_\_\_\_

**Terms & Conditions**

- F.O.B Ameritech Equipment Company. Freight charge is estimated at the time of quotation. The charge is subject to change at the time of delivery.
- Modifications to customer order after quotation will be at the customer's expense and will be added to the customer's invoice. Customer will be notified prior to any modifications.
- **Fast flash adjustments vary by model and is Customer Responsibility.**
- Quoted price may not include any applicable F.E.T., sales taxes, and delivery charges, or surcharges from manufacturer.
- Quote price does not include any unforeseen obstructions or modifications.
- Quotation valid until above stated expiration date.
- Terms are due upon receipt unless prior credit arrangements are made at the time of order.
- 50% down payment required with special order items, **NON REFUNDABLE.**



PO BOX 2888  
Casper, WY 82602

Kevin Balster  
(307) 262-6028  
(307) 262-6028 Mobile  
kevin@307atec.com

- In the event your products are returned, your credit card processing fee and freight are **NON REFUNDABLE**.
- **ALL** returns are subject to a **RESTOCK FEE**.
- **We only Accept Cash, Check, Visa and MasterCard. A Processing Fee will be applied on all Credit Card Sales**

**\*\*Repair Payment and Warranty Policy\*\***

1. **\*\*Payment Terms:\*\***
  - All repairs must be paid in full at the time of service.
2. **\*\*Warranty Claims:\*\***
  - After repairs are completed, we will submit a warranty claim on your behalf.
  - Submitting a warranty claim does not guarantee that the repairs will be covered under warranty. - Warranty claims will be paid if approved by the manufacturer.
3. **\*\*Reimbursement and Credits:\*\***
  - If the warranty claim is approved and we receive reimbursement, we will issue a credit to your account.
4. **\*\*Exclusions:\*\***
  - This warranty policy does not apply to replacements needed due to misuse, negligence, abuse, neglect, or improper equipment maintenance.
  - Any issues resulting from use outside of normal parameters will void the warranty.
5. **\*\*Compliance:\*\***
  - This policy is designed to comply with all relevant Wyoming state laws and regulations. If any part of this policy is found to be in conflict with state laws, the relevant legal provisions will take precedence. If you have any questions or concerns regarding this policy, please feel free to contact us.

		Meets Specifications		Yes	No
<b>VII.</b>	<b>STEERING</b>				
	1. Power steering.				
	2. Tilt steering wheel.				

		Meets Specifications		Yes	No
<b>VIII.</b>	<b>ELECTRICAL SYSTEM</b>				
	1. High-capacity alternator.				
	2. 900 Amp battery.				
	3. Easy access fuse & relay boxes.				
	4. Minimum 110 400-watt converter				

		Meets Specifications		Yes	No
<b>IX.</b>	<b>TRANSMISSION &amp; EQUIPMENT</b>				
	1. Automatic Transmission. with over drive.				
	2. Column shift				
	3. 4X4 transfer case				

		Meets Specifications		Yes	No
<b>X</b>	<b>CAB &amp; CAB-RELATED EQUIPMENT</b>				
	1. Manual Integral air conditioning & heating.				
	2. Sound system: Manufacturer's standard. Optional Bluetooth				
	3. Interior mirror, wide-angle, day-night type.				
	4. Remote start				
	5. Tow haul power exterior mirrors				
	6. Front seat to be 40/20/40 cloth type seats				
	7. Super Cab/ Extended Cab				
	8. Cruise control.				
	9. Cargo area lamp.				
	10. Flooring black vinyl with manufacturer's floor mats.				
	11. Gauges and meters – fuel, oil pressure, transmission temperature, engine coolant temperature; speedometer, odometer and tachometer.				
	12. Three (3) programed keys/fobs.				
	13. Power windows and door locks.				
	14. Intermittent windshield wipers.				
	15. Rear back-up camera with prep kit				
	16. Outside temperature display.				

Meets Specifications

		Meets Specifications		Yes	No
<b>XII</b>	<b>MISCELLANEOUS ITEMS:</b>				
	1. Front tow hooks				
	2. Steps full length of Cab				
	3. Steel Utility Box with spray in bed liner			X	
	4. Stainless Steel T type Handles				X
	5. Stainless Steel bolt on Hinges and removable Tailgate				X
	6. Modern rectangular LED Tail lights and marker lights			X	

See T<sub>1</sub>  
ic

*Rear hitch inc with Bed*

7. Trailer tow package to include in dash electric brake control		
8. Class one Led Mini light bar (City of Douglas will mount)	X	
9. Minimum Fuel Capacity – 44 Gal.		
10. Motorola CM200 two way radio programed to P.W. 155.085 Frequency	X	

Meets Specifications

<b>XII PAINT &amp; TRIM</b>	<b>Yes</b>	<b>No</b>
1. Exterior paint is white		
2. Interior colors medium dark		

<b>XIII MANUALS</b>	<b>Yes</b>	<b>No</b>
1. Complete manuals for vehicle operation, maintenance shall be with the truck at the time of delivery.		

Meets Specifications

<b>XIV WARRANTY</b>	<b>Yes</b>	<b>No</b>
1. Bumper To Bumper warranty shall be a minimum of 3 years/36,000 miles		
2. Warranty on powertrain shall be for 5 years/60,000 miles, whichever comes first, and cover all parts and labor, a copy of the warranty shall be with the vehicle at the time of delivery.		
3. Warranty on rust-through shall be 5 years / unlimited miles		

*End of Section*


**KNAPHEIDE**

SINCE 1848




FORD  
**STEEL**  
**SERVICE BODIES**

# KNAPHEIDE STEEL SERVICE BODIES



## STANDARD STEEL SERVICE BODIES

With a rugged steel construction and external storage for your tools and equipment, the Service Body is a key component in your day-to-day productivity. The external compartments offer protection from outside elements and allow technicians to access their equipment without having to climb into the truck bed. Staying organized both on and between job sites is important. Get maximum efficiency with a Knapheide Service Body.



## SERVICE BODY STEEL SHELL

Rugged two-sided A-40 galvalume steel body shell with a six year warranty. Complete undercoating provides an additional layer of corrosion protection.

## POPULAR VOCATIONS



CONSTRUCTION




MUNICIPALITIES/  
UTILITIES



OIL/MINING/GAS

- A. DOUBLE-SHELL, 20-GAUGE, TWO-SIDED A-40 GALVANNEAL STEEL**  
compartment doors
- B. ADJUSTABLE SECURITY RING STRIKERS**  
provide a weather-tight seal
- C. INTERIOR COVER**  
protects internal latch from damage
- D. SLAM-LOCK TAILGATE**  
with one-hand center release


- E. UPGRADED SURFACE MOUNT LIGHTING SYSTEM**  
features LED S/7/T and B/U, LED strobe option\*, with (8) selectable patterns, and built-in reflectivity for additional safety\*\*
- \*Additional wire harness required for strobe lights  
\*\*Lights covered by 3-year limited warranty



*Note: Body may be shown with optional features.*


## COMPARTMENT FEATURES

- DOUBLE-SPRING OVER-CENTER RETAINER**  
on vertical compartment doors eliminate involuntary swing
- NEOPRENE DOOR SEALS**  
protect compartments from the weather
- CONTINUOUS STAINLESS STEEL HINGES**  
are pry-proof and corrosion-resistant
- INTERIOR LIGHT GUARDS**  
protect recessed lighting and wiring



## STANDARD SHELVING

- STREET AND CURB SIDE FRONT VERTICAL COMPARTMENTS**  
Two adjustable divider shelves and dividers, with a 250-lb. capacity (1st and 2nd vertical 132" bodies only)
- STREET AND CURB SIDE FULL HEIGHT REAR VERTICAL COMPARTMENTS**  
One adjustable divider shelf and dividers, with a 250-lb. capacity
- CURB SIDE HORIZONTAL COMPARTMENT**  
One adjustable divider shelf and dividers, with a 250-lb. capacity



60" tall bodies include an extra divider shelf in each compartment, including one in the streetside horizontal

## FEATURES NOT SHOWN

- EXCLUSIVE "RETURN FLANGE" FLOOR DESIGN**  
provides support
- QUICK-MOUNT INSTALLATION**  
allows for fast, safe mounting
- E-COAT PROTECTION**  
Knauf's E-coat is a 100% zinc immersed in Knauf's 12-step electrocoat prime paint system for superior corrosion resistance.

# COMPARTMENT CONFIGURATIONS



## 500 SERIES COMPARTMENTS

The 500 Series Service Bodies feature a horizontal compartment that stretches from the first vertical compartment to the end of the body with a small, rear lower compartment.




## 600 SERIES COMPARTMENTS

The 600 Series Service Bodies feature a horizontal compartment that is positioned over the wheel well and one vertical compartment in the front of the body and one at the rear of the body.



## 700 SERIES COMPARTMENTS

The 700 Series has 500 Series configuration on the curb side and 600 Series on the street side.



## LOW PROFILE BODY

Low Profile Bodies, denoted by "LP", offer greater visibility from the cab while only sacrificing 4" of the body height compared to a standard Service Body.


## RAISED FRONT COMPARTMENTS

This configuration raises the curb side front vertical compartment to 60" tall, denoted by "60". "60-L" indicates raised front compartment on the street side (left) of the body, and "60-B" indicates raised front compartments on both sides.



## FLIP TOP COMPARTMENTS

Flip Tops, denoted by "F", allow for greater internal storage, organization and flexibility. Knapheide Flip Tops have a slammable top lid door and a convenient one-hand release located in the horizontal compartment.



## ROLL UP DOOR FRONT VERTICAL COMPARTMENTS

Roll Up Doors, denoted by "RDV", are featured on both front vertical compartments of the body. Doors are of aluminum construction, with spring-loaded roller for easy operation. Available on all compartments via custom body quote.



## THREE-DRAWER UNIT

## PLUS 50 TRANSVERSE COMPARTMENTS

Plus 50 models feature a transverse compartment in the curb side front vertical extending to the street side compartment back. Plus 50 models have 50% more effective storage capacity. Models are denoted by "50".



## TWO-DRAWER UNIT

Depending on body model, compartments have either two or three drawers, 59" or 69" long. All drawers are rated for 250-lb. and have dividers every 4".

Bodies shown with optional bumpers

## POPULAR OPTIONS

### BUMPERS


Knapheide bumpers are constructed with work in mind. With three configurations, we have a bumper for every need. Select bumpers available with KnapLiner coating for additional friction and durability.



**HITCH RECESS BUMPERS**



**STEP BUMPERS**




**STRAIGHT BUMPERS**

### CANOPY ROOF


The canopy roof option allows you to fully enclose your cargo area. Canopy roofs are available in three heights, straight sides, and with stationary or telescopic roofs. Full width roofs are also available. For a tapered-side one-piece body design, take a look at our KUVcc product line.



**STRAIGHT SIDES**




**TELESCOPIC ROOF**




**SIDE ACCESS DOORS**



**SIDE LADDER RACKS**




**REAR ACCESS DOOR**



### TELESCOPIC SLIDING ROOF

Telescopic sliding roofs offer a robust enclosure for the cargo space of your Service Body, allowing you to protect your tools and equipment from theft and weather.



### CRANE REINFORCEMENT KIT

The crane reinforcement kit option allows you to incorporate a crane up to 4,000 lb. capacity (16,000 ft.-lb. max.) onto the rear curb side corner of your body.

### RACKS

Adding a rack to your Service Body increases your storage space by getting your ladders and other long tools or equipment up and out of the way, making room to haul more items in your cargo area.



**UTILITY RACK**  
1,000 lb. capacity -  
forklift loadable




**SIDE MOUNT LADDER RACK**  
150 lb. capacity

NOT PICTURED (APPLIES TO SIDE MOUNT & OVERHEAD LADDER RACKS):

**LADDER RACK ROLLERS**

**LADDER RACK RAILS**



**OVERHEAD LADDER RACK**  
300 lb. capacity

# POPULAR OPTIONS



MASTER LOCKS



POWER LOCKS



FRONT STROBE



LED COMPARTMENT LIGHTS



FLEX STEPS



CABLE STEPS



ALUMINUM DRAWERS



STEEL DRAWERS



ALUMINUM TREAD PLATE TRIM KITS



PULL-OUT SHELVES



BOTTLE GAS RETAINER



ROCK GUARDS



MOUNTING KITS FOR REMOVABLE CRANE (SPITZLIFT)



METER TRAY WITH HOLES



PULL-OUT TRAY



MODULAR CAB GUARD



REAR ACCESS DOOR WITH FULL-LENGTH SHELF



E-TRACK & ACCESSORIES



SINGLE POINT OR THREE POINT T-HANDLE



REAR ACCESS DOOR




GRAB HANDLES



WHEEL CHOCK HOLDER - FENDER SKIRT






CARGO TIE-DOWNS



# MODEL OPTIONS



## 40" CA SINGLE REAR WHEEL

MODEL	TYPE	HEIGHT	WEIGHT	TRUCK	CAB	GVWR
680	Standard	40"	875 lb.	X2A/X2B	Super	9,900/10,600 lb.
680LP	Low Profile	36"	827 lb.	W2A/W2B	Crew	9,900/10,600 lb.
680F	Flip Top (L)	37.25"	942 lb.	X3A/X3B	Super	10,000/11,800 lb.
680F40	Flip Top (H)	41.25"	989 lb.	W3A/W3B	Crew	10,000/12,400 lb.



## 56" CA SINGLE REAR WHEEL




MODEL	TYPE	HEIGHT	WEIGHT	TRUCK	CAB	GVWR
696	Standard	40"	1,048 lb.	F2A/F2B	Regular, Gas	9,000/10,600 lb.
696LP	Low Profile	36"	983 lb.	X2A/X2B	Super, Gas	9,000/10,600 lb.
696F	Flip Top (L)	37.25"	1,125 lb.	W2A/W2B	Crew, Gas	9,000/10,600 lb.
696F40	Flip Top (H)	41.25"	1,181 lb.	F3A/F3B	Regular, Gas	9,900/11,800 lb.
696D38"	Standard	40"	1,064 lb.	X3A/X3B	Super, Gas	9,900/11,800 lb.
696D38LP	Low Profile	36"	1,005 lb.	W3A/W3B	Crew, Gas	9,900/11,800 lb.
696D38F"	Flip Top (L)	37.25"	1,142 lb.	F2A/F2B/F3A/F3B	Regular Diesel	9,900/11,800 lb.
				X2A/X2B/X3A/X3B	Super Diesel	9,900/11,800 lb.
				W2A/W2B/W3A/W3B	Crew Diesel	9,900/12,400 lb.



# MODEL OPTIONS

## 56" CA DUAL REAR WHEEL



MODEL	TYPE	HEIGHT	WEIGHT	TRUCK	CAB	GWWR
696D54	Standard	40"	1,205 lb.	F3C/F3D	Regular	13,000/14,000 lb.
696D54LP	Low Profile	36"	1,146 lb.	X3C/X3D	Super	13,000/14,000 lb.
696D54F	Flip Top (L)	37.25"	1,279 lb.	W3C/W3D	Crew	13,000/14,000 lb.
696D54F40	Flip Top (H)	41.25"	1,339 lb.			



## 60" CA SINGLE REAR WHEEL



MODEL	TYPE	HEIGHT	WEIGHT	TRUCK	CAB	GWWR
6108	Standard	40"	1,147 lb.	F3E	Regular, Gas	9,800/10,900 lb.
6108LP	Low Profile	36"	1,094 lb.	F3F	Regular, Diesel	9,800/11,500 lb.
6108F	Flip Top (L)	37.25"	1,239 lb.	X3E	Super, Gas	9,800/11,300 lb.
6108F40	Flip Top (H)	41.25"	1,295 lb.	X3F	Super, Diesel	9,800/11,500 lb.
				W3E	Crew, Gas	9,800/11,400 lb.
				X3F	Crew, Diesel	9,800/11,500 lb.

Note: Chassis with GWWR 10,000 lb. and under subject to curb weight limits. Not all engine/drive and body combinations are applicable.






## 82" CA SINGLE REAR WHEEL - FORD TRANSIT

MODEL	TYPE	HEIGHT	WEIGHT	TRUCK	CAB	GWWR
6129-FT	Standard	43"	1,503 lb.	RSZ/RYZ	Regular	9,070 lb.
				WSZ/WYZ	Regular	9,500 lb.






## 84" CA DUAL REAR WHEEL

MODEL	TYPE	HEIGHT	WEIGHT	TRUCK	CAB	GWWR
6132D54	Standard	40"	1,590 lb.	F3G/F3H	Regular	14,000 lb.
6132D54LP	Low Profile	36"	1,518 lb.	F4G/F4H	Regular	15,000/16,500 lb.
6132D54F	Flip Top (L)	37.25"	1,710 lb.	X4G/X4H	Super	15,000/16,500 lb.
6132D54F40	Flip Top (H)	41.25"	1,785 lb.	W4G/W4H	Crew	15,000/16,500 lb.
6132D54H46	Standard	46"	1,709 lb.	F5G/F5H	Regular	17,500/19,500 lb.
6132D54H60	Standard	60"	1,986 lb.	X5G/X5H	Super	17,500/19,500 lb.
				W5G/W5H	Crew	17,500/19,500 lb.
				F600	Regular	22,000 lb.
				F6K	Regular	22,000 lb.
				F6L	Regular	22,000 lb.



## 60" CA DUAL REAR WHEEL

MODEL	TYPE	HEIGHT	WEIGHT	TRUCK	CAB	GWWR
6108D54	Standard	40"	1,306 lb.	F3C/F3H	Regular	14,000 lb.
6108D54LP	Low Profile	36"	1,245 lb.	X3C/X3H	Super	14,000 lb.
6108D54F	Flip Top (L)	37.25"	1,391 lb.	W3C/W3H	Crew	14,000 lb.
6108D54F40	Flip Top (H)	41.25"	1,452 lb.	F4G/F4H	Regular	15,000/16,500 lb.
6108D54H46	Standard	46"	1,411 lb.	X4G/X4H	Super	15,000/16,500 lb.
6108D54H60	Standard	60"	1,647 lb.	W4G/W4H	Crew	15,000/16,500 lb.
				F5G/X5H	Regular	17,500/19,500 lb.
				X5G/X5H	Super	17,500/19,500 lb.
				W5C/W5H	Crew	17,500/19,500 lb.
				F600	Regular	22,000 lb.



# COMMITMENT TO CORROSION RESISTANCE

Corrosion won't be a concern when you buy quality Knapheide products. To give you the best corrosion protection, we utilize a state-of-the-art, custom-designed, 12-step, SST cathodic electrodeposition finishing system, called "E-Coat."

It bonds prime paint to steel by an electroplating process to give you a superior coat of primer, resulting in better corrosion protection compared to spraying methods.

This system allows us to create products with the highest level of corrosion resistance available.



NO RUST  
THROUGH



DOOR HINGES  
WILL NOT FAIL OR  
COME OFF BODY



LATCHES AND LOCK  
CYLINDERS WILL NOT  
FAIL TO OPERATE



SHELVES WILL NOT  
BEND UNDER MAX.  
LOAD OF 250 LBS.

TO LEARN MORE VISIT

[www.knapheide.com/warranty](http://www.knapheide.com/warranty)



FOLLOW US  
LIKE US  
TAG US



**KNAPHEIDE**  
SINCE 1848

## NEVER SETTLE

If you are going to be a leader, it takes more than building a high-quality product. It means never being totally satisfied with that product, no matter how high quality it may be. It requires constant vigilance and a willingness to take a chance on something new. And it means exceeding expectations every time. As the industry changes, one thing never will—our commitment to making customers like you as productive and efficient as possible. We know you don't settle, and we don't either. That's why we want you never to settle for anything less than Knapheide on the back of your truck.

**KNAPHEIDE. NEVER SETTLE.**



The Knapheide Manufacturing Company  
1848 Westphalia Strasse | Quincy, IL 62305  
217-222-7131  
[www.knapheide.com](http://www.knapheide.com)